



## **City of Vancouver** *Zoning and Development By-law*

Community Services, 453 W. 12th Ave Vancouver, BC V5Y 1V4 ☎ 604.873.7344 fax 873.7060

[planning@city.vancouver.bc.ca](mailto:planning@city.vancouver.bc.ca)

# **CD-1 (300)**

*951 Boundary Road*

*By-law No. 7158*

*(Being a By-law to Amend By-law 3575, being the Zoning and Development By-law)*

**Effective September 2, 1993**

*(Amended up to and including By-law No. 8824, dated April 6, 2004)*

**1** *[Section 1 is not reprinted here. It contains a standard clause amending Schedule D (Zoning District Plan) to reflect this rezoning to CD-1.]*

**2** The area shown included within the heavy black outline on Schedule “A” is rezoned to CD-1, which area shall be more particularly described as CD-1(300), and the only uses permitted within the said area, subject to such conditions as Council may by resolution prescribe, and the only uses for which development permits will be issued are:

- (a) Community Care Facility with a maximum of 75 beds;
  - (b) Multiple Conversion Dwelling;
  - (c) Seniors Supportive or Assisted Housing;
  - (d) Accessory Uses customarily ancillary to the above uses.
- [8824; 04 04 06]

### **3 Floor Space Ratio**

**3.1** The floor space-ratio shall not exceed 0.60. For the purpose of computing floor space ratio, the site shall be all parcels covered by this By-law, and shall be deemed to be 10 925 m<sup>2</sup>, being the site size at time of application for rezoning, prior to any dedications.

**3.2** The following shall be included in the computation of floor space ratio:

- (a) all floors, including earthen floor, to be measured to the extreme outer limits of the building; and
- (b) stairways, fire escapes, elevator shafts and other features which the Director of Planning considers similar, to be measured by their gross cross-sectional areas and included in the measurements for each floor at which they are located.

**3.3** The following shall be excluded in the computation of floor space ratio:

- (a) open residential balconies or sundecks, and any other appurtenances which, in the opinion of the Director of Planning, are similar to the foregoing, provided that the total area of all exclusions does not exceed eight percent of the permitted residential floor area;
- (b) patios and roof gardens, provided that the Director of Planning first approves the design of sunroofs and walls;
- (c) where floors are used for off-street parking and loading, bicycle storage or uses which in the opinion-of the Director of Planning are similar to the foregoing, those floors or portions thereof so used, which are at or below the base surface, provided that the maximum exclusion for a parking space shall not exceed 7.3 m in length;
- (d) amenity areas, including recreation facilities and meeting rooms, to a maximum total of 10 percent of the total building floor area;
- (e) areas of undeveloped floors located above the highest storey or half-storey, or adjacent to a half-storey with a ceiling height of less than 1.2 m, and to which there is no permanent means of access other than a hatch.; and
- (f) where floors ae used for heating and mechanical equipment, or uses which in the opinion of the Director of Planning are similar to the foregoing; [8115; 99 1102]
- (g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000. [8169; 00 03 14]

### **4 Height**

The maximum building height shall not extend beyond 2½ storeys.

*Note: Information included in square brackets [ ] identifies the by-law numbers and dates for the amendments to By-law No. 7158 or provides an explanatory note.*

**5 Setbacks**

The minimum setback of a building from the Boundary Road property boundary shall be 15.0 m.  
The minimum setback of a building from the Adanac Street property boundary shall be 8.0 m.  
The minimum setback of a building from the westerly property boundary shall be 19.0 m.

**6 Off-Street Parking and Loading**

6.1 A minimum of 35 off-street parking spaces shall be provided of which a minimum of 24 shall be located below the base surface.

6.2 A minimum of one off-street loading space shall be provided.

**7 Acoustics**



All development permit applications shall require evidence in the form of a report and recommendations prepared by a person trained in acoustics and current techniques of noise measurement demonstrating that the noise levels in those portions of the dwelling units listed below shall not exceed the noise level set opposite such portions. For the purposes of this section the noise level is the A-weighted 24-hour equivalent (Leq) sound level and will be defined simply as noise level in decibels.

<b>Portions of Dwelling Units</b>	<b>Noise Level (Decibels)</b>
bedrooms	35
living, dining, recreation rooms	40
kitchen, bathrooms, hallways	45



[7515; 96 01 11]

**8** *[Section 8 is not reprinted here. It contains a standard clause including the Mayor and City Clerk's signatures to pass the by-law and to certify the by-law number and date of enactment.]*



BY-LAW No. 7158 BEING A BY-LAW TO AMEND BY-LAW No. 3575  
BEING THE ZONING & DEVELOPMENT BY-LAW



GEORGIA ST.




KOOTENAY ST.



BOUNDARY RD.

ADANAC ST.



The property outlined in black ( ) is rezoned:  
From **RS-1S** To **CD-1**

**Z-399 (b)**

**RZ-951 Boundary Road**

map: 1 of 1

**City of Vancouver Planning Department**

scale: 1:2000





CITY OF VANCOUVER  
SPECIAL COUNCIL MEETING

A Special Meeting of the Council of the City of Vancouver was held on Thursday, January 16, 1992, in the Council Chamber, Third Floor, City Hall, at approximately 8:30 p.m., for the purpose of holding a Public Hearing to amend the Zoning & Development By-law.

PRESENT: Deputy Mayor Eriksen  
Aldermen Bellamy, Chan, Davies,  
Owen, Price, Pull and  
Wilson

ABSENT: Mayor Campbell (Civic Business)  
Alderman Rankin  
Alderman Yorke (Leave of Absence)

CLERK TO THE COUNCIL: J. Thomas

COMMITTEE OF THE WHOLE

MOVED by Ald. Bellamy,  
SECONDED by Ald. Pull,  
THAT this Council resolve itself into Committee of the Whole, Deputy Mayor Eriksen in the Chair, to consider proposed amendments to the Zoning & Development By-law.

- CARRIED UNANIMOUSLY

1. Rezoning: 951 Boundary Road - Taylor Manor

An application by Scott Gordon, Architect, was considered as follows:

REZONING: 951 BOUNDARY ROAD - TAYLOR MANOR (Lot 3, Section 27, THSL, Plan 19386)

Present Zoning: RS-1S District Schedule  
Proposed Zoning: CD-1 Comprehensive Development District

Clause No. 1 cont'd

- (i) If approved, the draft by-law would permit the use and development of the site generally as follows:
  - Community Care Facility with a maximum of 75 beds;
  - conversion of present Taylor Manor to residential use;
  - accessory uses customarily ancillary to the above uses;
  - maximum building height of 2½ storeys;
  - acoustical provisions; and
  - minimum of 35 off-street parking spaces.
- (ii) Any consequential amendments.

The Director of Planning recommended approval, subject to the following conditions proposed for adoption by resolution of Council:

- (a) That, the proposed form of development be approved by Council in principle, generally as prepared by Scott Gordon, Architect, and stamped "Received City Planning Department November 26, 1991", provided that the Director of Planning may allow minor alterations to this form of development when approving the detailed scheme of development as outlined in (b) below.
- (b) That, prior to approval by Council of the form of development, the applicant shall obtain approval of a development application by the Director of Planning.
- (c) That, prior to enactment of the CD-1 By-law, the registered owner shall:
  - (i) obtain designation of the existing building under Schedule A of the City's Heritage By-law;
  - (ii) make arrangements, to the satisfaction of the City Engineer, for removal, relocation and provision of any required easements related to the GVRD sewer running diagonally across the site (would be under the proposed building);
  - (iii) make arrangements, to the satisfaction of the City Engineer, for all electrical and telephone services to be undergrounded within and adjacent to the site from the closest existing, suitable service point;

Clause No. 1 cont'd

- (iv) make arrangements, to the satisfaction of the City Engineer, for the possible upgrading of the water service. Depending on final building design and a detailed water analysis, upgrading may be required at the applicant's expense.

Mr. Tom Phipps, Planner, Land Use and Development Division, reviewed the application noting the proposal is consistent with the Hastings Sunrise Plan which encourages replacement of the existing outdated Taylor Manor care facility. It is proposed a new care facility be built along the Adanac Street frontage and in a second phase, the existing Taylor Manor, which is classified a "B" building on the Vancouver Heritage Inventory, will be converted to provide approximately 15 units of seniors housing. The Director of Planning supports both uses, subject to a report back on access to commercial services to seniors, which will be presented when Phase 2 is submitted in detail.

Mr. Phipps advised, in response to a Council direction of December 10, 1991, the draft by-law has been structured to permit conversion of Taylor Manor for residential use and occupancies other than residential. This will provide flexibility in case access to shopping and other commercial services is not resolved to Council's satisfaction at a later stage.

Mr. Scott Gordon, applicant on behalf of the City's Housing and Properties Department, advised information meetings had been held in the community with neighbours in the Adanac Housing Co-op, and residents of Boundary Road and Adanac Street. As a result, the project had been scaled down to 75 beds and a proposal for an extended care facility had been dropped. The mature trees on the site will be retained and incorporated into the landscaping plan.

The project had the support of the neighbours, the Provincial Ministry of Health, and City staff.

There were no speakers.

MOVED by Ald. Puil,

THAT the application be approved, subject to the conditions proposed by the Director of Planning, as set out in this Minute of the Public Hearing.

- CARRIED UNANIMOUSLY

BY-LAW NO. 7158

A By-law to amend  
By-law No. 3575, being the  
Zoning and Development By-law

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled, enacts as follows:

1. The "Zoning District Plan" annexed to By-law No. 3575 as Schedule "D" is hereby amended according to the plan marginally numbered Z-399(b) and attached to this By-law as Schedule "A", and in accordance with the explanatory legends, notations and references inscribed thereon, so that the boundaries and districts shown on the Zoning District Plan are varied, amended or substituted to the extent shown on Schedule "A" of this By-law, and Schedule "A" of this By-law is hereby incorporated as an integral part of Schedule "D" of By-law No. 3575.

2. The area shown included within the heavy black outline on Schedule "A" is rezoned to CD-1, which area shall be more particularly described as CD-1(300), and the only uses permitted within the said area, subject to such conditions as Council may by resolution prescribe, and the only uses for which development permits will be issued are:

- (a) Community Care Facility with a maximum of 75 beds;
- (b) Multiple Conversion Dwelling;
- (c) Accessory Uses customarily ancillary to the above uses.

3. Floor Space Ratio

3.1 The floor space ratio shall not exceed 0.60. For the purpose of computing floor space ratio, the site shall be all parcels covered by this By-law, and shall be deemed to be 10 925 m<sup>2</sup>, being the site size at time of application for rezoning, prior to any dedications.

3.2 The following shall be included in the computation of floor space ratio:

- (a) all floors, including earthen floor, to be measured to the extreme outer limits of the building; and
- (b) stairways, fire escapes, elevator shafts and other features which the Director of Planning considers similar, to be measured by their gross cross-sectional areas and included in the measurements for each floor at which they are located.

3.3 The following shall be excluded in the computation of floor space ratio:

- (a) open residential balconies or sun decks, and any other appurtenances which, in the opinion of the Director of Planning, are similar to the foregoing, provided that the total area of all exclusions does not exceed eight percent of the permitted residential floor area;
- (b) patios and roof gardens, provided that the Director of Planning first approves the design of sunroofs and walls;
- (c) where floors are used for off-street parking and loading, bicycle storage or uses which in the opinion of the Director of Planning are similar to the foregoing, those floors or portions thereof so used, which are at or below the base surface, provided that the maximum exclusion for a parking space shall not exceed 7.3 m in length;
- (d) amenity areas, including recreation facilities and meeting rooms, to a maximum total of 10 percent of the total building floor area; and
- (e) areas of undeveloped floors located above the highest storey or half-storey, or adjacent to a half-storey with a ceiling height of less than 1.2 m, and to which there is no permanent means of access other than a hatch.

#### 4. Height

The maximum building height shall not extend beyond 2 ½ storeys.

#### 5. Setbacks

The minimum setback of a building from the Boundary Road property boundary shall be 15.0 m.

The minimum setback of a building from the Adanac Street property boundary shall be 8.0 m.

The minimum setback of a building from the westerly property boundary shall be 19.0 m.

#### 6. Off-Street Parking and Loading

6.1 A minimum of 35 off-street parking spaces shall be provided of which a minimum of 24 shall be located below the base surface.

6.2 A minimum of one off-street loading space shall be provided.

#### 7. Acoustics

All development permit applications shall require evidence in the form of a report and recommendations prepared by a person trained in acoustics and current techniques of noise measurement demonstrating that the noise levels in those portions of the dwelling units listed below shall not exceed the noise level set opposite such portions. For the purposes of this section the noise level is the A-weighted 24-hour equivalent (Leq) sound level and will be defined simply as noise level in decibels.

<u>PORTIONS OF DWELLING UNITS</u>	<u>NOISE LEVELS (DECIBELS)</u>
bedrooms	35
living, dining, recreation rooms	40
kitchen, bathrooms, hallways	45
terraces, patios, balconies	60

8. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 2nd day of  
September , 1993.


(signed) Gordon Campbell  
\_\_\_\_\_  
Mayor

(signed) Maria C. Kinsella  
\_\_\_\_\_  
City Clerk



"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 2nd day of September 1993, and numbered 7158.

CITY CLERK"


BY-LAW No. 7158 BEING A BY-LAW TO AMEND BY-LAW No. 3575  
BEING THE ZONING & DEVELOPMENT BY-LAW





GEORGIA ST.




ADANAC ST.



KOOTENAY ST.



BOUNDARY RD.



The property outlined in black (■) is rezoned:  
From **RS-1S** To **CD-1**

**Z-399 (b)**

**RZ-951 Boundary Road**

map: 1 of 1

**City of Vancouver Planning Department**

scale: 1:2000



CITY OF VANCOUVER



MEMORANDUM

RECEIVED	
PLANNING DEPARTMENT	
FEB 17 1994	
NUMBER	Q1479
ROUTED TO	FAS
CITY TO	THF
NUMBER REC'D	

From: CITY CLERK

Date: February 16, 1994  
Refer File: 2604-1

To: Ken Dobell, City Manager  
 Tom Fletcher, Director of Planning  
 Victoria Garland, Director of Housing & Properties  
 Rick Scobie, Associate Director - Land Use & Development



CD-1(300)

Subject: Form of Development: 951 Boundary Road  
Development Application 215523 - CD-1 By-law Number 7158

On February 15, 1994, Vancouver City Council approved the following recommendation contained in a February 1, 1994 Administrative Report (A10):

THAT the approved form of development for the CD-1 zoned site known as 951 Boundary Road be generally approved as illustrated in Development Application Number 215523, prepared by Scott Gordon Architect and stamped "Received, City Planning Department November 16, 1993", provided that the Director of Planning may approve design changes which would not adversely affect either the development character of this site or adjacent properties.

*M Kinsella*

CITY CLERK

JSharpe:dmy

Letter to: Scott P. Gordon, MAIBC  
Scott Gordon Architect  
3370 West 44th Avenue, Vancouver V6N 3K8

Acoustic Requirements

BY-LAW NO. 7515

A By-law to amend  
By-law Nos. 3712, 4037, 4049, 4397, 4677, 5381,  
5836, 5852, 6272, 6310, 6312, 6313, 6314, 6315,  
6316, 6317, 6318, 6319, 6320, 6321, 6322, 6323,  
6325, 6361, 6362, 6363, 6421, 6425, 6429, 6475,  
6489, 6528, 6533, 6564, 6582, 6597, 6663, 6688,  
6710, 6713, 6714, 6715, 6730, 6731, 6738, 6739,  
6740, 6744, 6747, 6757, 6768, 6779, 6787, 6817,  
6827, 6965, 7006, 7087, 7092, 7101, 7114, 7135,  
7155, 7156, 7157, [REDACTED], 7163, 7166, 7173, 7174,  
7175, 7180, 7189, 7193, 7198, 7200, 7204, 7209,  
7223, 7224, 7230, 7232, 7246, 7248, 7317, 7337,  
7340, 7381, 7425, 7431, 7434 and 7461, being  
by-laws which amended the Zoning and Development  
By-law by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled,  
enacts as follows:

1. By-law Nos. 6429, 6597, 7092, 7101, 7224 and 7340 are each amended in section 5 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

2. The following By-laws are each amended in section 6 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column:

4037	6688	7087	7180
4397	6710	7155	7189
4677	6713	7157	7209
5852	6731	7163	7246
6272	6738	7166	7381
6363	6768	7173	7425
6421	6787	7174	7431
6582	6827	7175	7434
6663			

3. By-law No. 6730 is amended in section 6.1 by deleting the words "Terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

4. The following By-laws are each amended in section 7 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

5836	6321	6564	7114
6310	6322	6739	7135
6312	6323	6740	7158
6315	6325	6817	7223
6319	6528	6965	7230
6320			

5. By-law Nos. 6313, 6314, 6316, 6317, 6318 and 6361 are each amended in section 7.1 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
6. By-law Nos. 3712, 4049, 6362, 6425, 6489, 6714, 6715, 7193 and 7337 are each amended in section 8 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
7. By-law No. 6779 is amended in section 9 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
8. By-law No. 7198 is amended in section 10 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
9. By-law Nos. 7156, 7200, 7232 and 7248 are each amended in section 11 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
10. By-law No. 6744 is amended in section 12 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
11. By-law Nos. 6747 and 6757 are both amended in section 13 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
12. By-law No. 5381 is amended in section 4.8.1 by
  - (a) deleting clause (d), and
  - (b) relettering clauses (e) and (f) as (d) and (e), respectively.
13. By-law No. 6533 is amended in section 5.6.1 by deleting clause (d).
14. By-law No. 6475 is amended in section 5.8.1 by deleting clause (d).
15. By-law No. 7006 is amended in section 7 by deleting the words "common-use roof decks and patios" from the left column and the corresponding number "55" from the right column.



Clause 1(a) and (b) (cont'd)

This development is also in keeping with Council's strategy of reducing traffic congestion by encouraging residential development in this area and reducing commuters. The application also provides for a substantial amount of bicycle parking within the new residential complex.

Staff Closing Comments

Staff offered no additional comments.

Council Decision

Prior to making a decision, several members of Council expressed the view that staff need to reconsider their approach when notifying residents about rezoning applications, as well as other City-related issues. Members of Council also referred to a previously requested report on waterfront tower height and Council expressed a desire to see this report as soon as possible.

MOVED by Cllr. Bellamy,

THAT this application be approved, subject to the conditions as set out in this minute of the Public Hearing.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Price,

THAT the City Manager ensure that when the anticipated report from the Housing Centre on housing affordability comes back, it deals with the issues related to Triangle West and new neighbourhoods.

- CARRIED UNANIMOUSLY

2. Balcony Enclosures and Acoustic Requirements

An application by the Director of Land Use and Development was considered as follows:

The proposed amendments to various zoning District Schedules, Official Development Plans and CD-1 Comprehensive Development District By-laws, would either:

- not allow any of the permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies except in buildings existing prior to April 23, 1985 in which case the present regulations would apply; or

cont'd....

Clause No. 2 (cont'd)

- continue to permit a maximum of 8 percent of permitted residential floor area to be excluded form Floor Space Ratio (FSR) for balconies BUT to permit no more than half of excluded floor area to be enclosed; or
- permit no more than 8 percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies.

The proposed acoustic amendments would delete the acoustic requirement for balconies, terraces, patios, etc.

Amended Balcony Enclosure Guidelines and Policies are also proposed.

The Director of Land Use and Development recommended approval of this application.

Staff Opening Comments

Mr. Ralph Segal, Planner, provided background on this issue and introduced the options before Council this evening.

In 1964, in order to improve livability in higher density multiple dwelling developments, open balconies were excluded from FSR to a maximum of eight percent of residential floor area. In the early 1980s, the City received numerous requests from owners of units in existing buildings to enclose their balconies for reasons of poor insulation and acoustics, air drafts and other interior problems. In response, Council in 1985 adopted balcony enclosure guidelines by which enclosed balconies would continue to be excluded from FSR.

Subsequently, in response to the development industry's request for equity, Council permitted this exclusion to apply to new construction, subject to adherence to the guidelines. Since then, new buildings have, to an increasing degree, incorporated enclosed balconies as additional interior space displacing the private open space, the open balconies, for which the FSR exclusion had been originally provided.

Since enclosed balcony space has been successfully marketed at the full per square foot price of the rest of the dwelling unit, many developers have been more and more aggressive in seeking the full eight percent exclusion for enclosed balconies. This differs from a mix of open and enclosed balconies that were anticipated when the exclusion was first put in place.

cont'd....

Clause No. 2 (cont'd)

With the aid of photographs distributed to Council (on file in the City Clerk's Office), Mr. Segal explained that enclosure of most or all balconies bulks up buildings by filling in the volumes of open balconies and intends to create less residential, more office-like buildings. Exclusions from FSR are usually given to encourage developers to provide facilities that are considered important for livability but would likely not be provided without that incentive. In this case, bonuses are being permitted when they the negative affect of displacing the private open space for which the FSR exclusion was intended.

Recommendation A1 would eliminate the FSR exclusion for enclosed balconies except in the buildings existing prior to 1985, as per the original intent of the balcony enclosure provisions. Alternatively, should Council consider that enclosed balconies do have merit, A2 is offered which states that no more than half of the excluded balcony area may be enclosed. The third option, A3 is to simply allow outright the full eight percent exclusion to be enclosed.

This application also proposes an acoustic amendment. At present, acoustic requirements in many district schedules and CD-1 by-laws apply to standards in both rooms within the unit as well as exterior balconies and patios. As the current standard often requires balconies to be enclosed, even when this is not desired, the proposed amendment will delete this requirement. Mr. Segal also explained that amendments are proposed to the balcony enclosure guidelines which would delete provisions calling for easy conversion of enclosed balconies back to open balconies, as well as adding several additional clauses which will clarify the design intent in new construction.

Responding to a question from a member of Council, Mr. Segal advised of an error in the memorandum dated July 18, 1995 from the City Clerk, which referred this matter to Public Hearing. Recommendation A1 makes reference to excluding floor space ratio for enclosed balconies except in buildings existing prior to April 23, 1995. This should read April 23, 1985.

A member of Council enquired whether these guidelines would permit a style of balcony sometimes referred to a french balconies. Mr. Segal advised this style would not be permitted under the proposed guidelines.

Council members also enquired whether thresholds will still be required between the interior unit and the closed balconies. It was confirmed the proposed guidelines still contain this threshold requirement.

cont'd....

Clause No. 2 (cont'd)

Correspondence

All correspondence received prior to this matter being referred to Public Hearing was included as Appendix E in the Council report. One additional letter stressing the need for more open balconies in Vancouver and another favouring option A2, were also received.

Speakers

The Mayor called for speakers for and against the application, and the following addressed Council.

Mr. Hans Schmidt, representing the Society of Soundscape Preservation, expressed concern with the proposed deletion of acoustic requirements, on the grounds that if these requirements are deleted, the City is simply accommodating the noise which exists and not attempting to eliminate or reduce it. A greater emphasis should be directed towards elimination of the source of noise.

Mr. Dugal Purdie, on behalf of the Urban Development Institute (UDI), indicated his support for option A2 as it represents an appropriate compromise. The UDI is strongly opposed to A1 as this would affect proformas upon which construction was predicated upon. Mr. Purdie urged Council to support recommendation A2 with an amendment to exclude the applicability of the guidelines to enclosed space, as the Institute believes the total design of the building should be left with the architects and reviewed through the existing development permit process, without the addition of guidelines.

Mr. Stuart Howard, on behalf of the Architectural Institute of British Columbia (AIBC), lent his support to option A2, as it represents a compromise position. AIBC would ultimately prefer option 5 as stated in its May 30, 1995 brief to Council, but is willing to accept the compromise position. Mr. Howard suggested the Planning Department is naive in its support of option A1 because apartments are now significantly smaller in size and the continued requirement of an open balcony would result in a small, unusable space.

cont'd....

Clause No. 2 (cont'd)

MOVED by Cllr. Kennedy,

THAT the City continue to permit a maximum of eight percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for balconies, but to permit no more than half of excluded floor area to be enclosed;

FURTHER THAT the requirement that thresholds be included in enclosed balconies be removed.

- CARRIED

(Councillors Chiavario, Kwan and Price opposed)

MOVED by Cllr. Kennedy,

THAT those District Schedules and CD-1 by-laws containing an acoustic regulation be amended, to delete the acoustic requirement for on-site open space (i.e., balconies, terraces, patios, etc.), generally as outlined in Appendix A of the Policy Report dated June 6, 1995.

- CARRIED

(Councillor Sullivan opposed)

MOVED by Cllr. Kennedy,

THAT the Balcony Enclosure Guidelines and Policies, amended as noted in Appendix B of the Policy Report dated June 6, 1995, to reflect more practical utilization by residents, be approved.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Kennedy,

THAT Council advise the Planning Department that it supports "French Balconies" where appropriate and that language be incorporated in the balcony regulations and/or guidelines that would encourage their provision.

- CARRIED UNANIMOUSLY



**CITY OF VANCOUVER**

**SPECIAL COUNCIL MEETING MINUTES**

**OCTOBER 19, 1999**

A Special Meeting of the Council of the City of Vancouver was held on Tuesday, October 19, 1999, at 7:30 p.m., in the Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law.

**PRESENT:** Councillor George Puil, Deputy Mayor

Councillor Don Bellamy  
Councillor Alan Herbert  
Councillor Lynne Kennedy  
Councillor Don Lee  
Councillor Gordon Price  
Councillor Sam Sullivan (Clauses 2 to 6)

**ABSENT:** Mayor Philip Owen (Civic Business)

Councillor Nancy A. Chiavario (Civic Business)  
Councillor Jennifer Clarke  
Councillor Daniel Lee (Sick Leave)

**CLERK TO THE  
COUNCIL:** Tarja Tuominen

**COMMITTEE OF THE WHOLE**

MOVED by Cllr. Bellamy,  
SECONDED by Cllr. Don Lee,

THAT this Council resolve itself into Committee of the Whole, Deputy Mayor Puil in the Chair, to consider proposed amendments to the Zoning and Development By-law.

- CARRIED UNANIMOUSLY

**1. Text Amendment: 6184 Ash Street & 951 Boundary Road**

An application by the Director of Current Planning was considered as follows:

Summary: The proposed amendment would allow fewer ground access units at 6184 Ash Street and additional floor area exclusions at 951 Boundary Road.

The Director of Current Planning recommended approval.

**Staff Comments**

Rob Whitlock, Planner, advised he was present to answer questions.

**Summary of Correspondence**

There was no correspondence received on this application since the date the application was referred to Public Hearing.

**Speakers**

Deputy Mayor Puil called for speakers for and against the application and none were present.

MOVED by Cllr. Herbert,

THAT the application by the Director of Current Planning to amend CD-1 By-laws No. 7158 for 951 Boundary Road (Taylor Manor) and No. 8044 for 6184 Ash Street (Peretz Institute) to allow fewer ground access units at 6184 Ash Street and additional floor area exclusions at 951 Boundary Road, be approved.

- CARRIED UNANIMOUSLY

**2. Text Amendment: 3624 Fraser Street**

An application by the Gospel Church in Christ was considered as follows:

Summary: To allow church, public authority, community centre and library in conjunction with community centre as permitted uses on the site.

The Director of Current Planning recommended approval, subject to the conditions set out in the agenda of the Public Hearing.

Also circulated this day, was a Memorandum, dated October 19, 1999, from the Senior Rezoning Planner, bringing forward for consideration the following changes to the conditions:

(a) THAT prior to enactment of the amending by-law, the registered owner shall ~~enter into an agreement to the satisfaction of the Director of Legal Services, the General Manager of Engineering Services and the Medical Health Officer, agreeing to deal with the following matters at the development application stage:~~

(i) clarify to the satisfaction of the General Manager of Engineering Services and the

951 Boundary Road

BY-LAW NO. 8115

A By-law to amend  
By-laws No. 7158,  
being a By-law which amended the  
Zoning and Development By-law  
by rezoning an area to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER; in open meeting assembled,  
enacts as follows:

1. Section 3.3 of By-law No. 7158 is amended by
  - (a) deleting the word "and" at the end of subclause (d),
  - (b) deleting the period at the end of subclause (e) and substituting a semi-colon followed by the word "and", and
  - (c) adding the following:

"(f) where floors are used for heating and mechanical equipment, or uses which in the opinion of the Director of Planning are similar to the foregoing."

2. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 2nd day of November , 1999.

(Signed) Philip W. Owen  
Mayor

(Signed) Jan Gibson  
Acting City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 2nd day of November 1999, and numbered 8115.

CITY CLERK"

- CARRIED UNANIMOUSLY

**4. A By-law to amend By-law No. 6117, being a By-law which amended the Zoning and Development By-law by rezoning an area to CD-1 (2177 West 42nd Avenue) By-law No. 8114**

MOVED by Cllr. Bellamy,  
SECONDED by Cllr. Don Lee,

THAT the By-law be introduced and read a first time.

- CARRIED UNANIMOUSLY

The By-law was read a first time and the Presiding Officer declared the by-law open for discussion and amendment.

There being no amendments, it was

MOVED by Cllr. Bellamy,  
SECONDED by Cllr. Don Lee,

THAT the By-law be given second and third readings and the Mayor and City Clerk be authorized to sign and seal the By-law.

- CARRIED UNANIMOUSLY

(Councillors Chiavario, Clarke, Daniel Lee and the Mayor excused from voting on By-law 4)

**5. A By-law to amend By-law No. 7158, being a By-law which amended the Zoning and Development By-law by rezoning an area to CD-1 (951 Boundary Road) By-law No. 8115**

MOVED by Cllr. Herbert,  
SECONDED by Cllr. Don Lee,

THAT the By-law be introduced and read a first time.

- CARRIED UNANIMOUSLY

The By-law was read a first time and the Presiding Officer declared the by-law open for discussion and amendment.

There being no amendments, it was

MOVED by Cllr. Herbert,  
SECONDED by Cllr. Don Lee,

THAT the By-law be given second and third readings and the Mayor and City Clerk be authorized to sign and seal the By-law.

- CARRIED UNANIMOUSLY

(Councillors Chiavario, Clarke, Daniel Lee and the Mayor  
excused from voting on By-law 5)

**.6. A By-law to amend By-law No. 8044, being a By-law which**

**amended the Zoning and Development By-law by rezoning an  
area to CD-1 (6184 Ash Street) By-law No. 8116**

MOVED by Cllr. Herbert,  
SECONDED by Cllr. Don Lee,

THAT the By-law be introduced and read a first time.

- CARRIED UNANIMOUSLY

The By-law was read a first time and the Presiding Officer declared the by-law  
open for discussion and amendment.

There being no amendments, it was

MOVED by Cllr. Herbert,  
SECONDED by Cllr. Don Lee,

THAT the By-law be given second and third readings and the Mayor and City  
Clerk be authorized to sign and seal the By-law.

- CARRIED UNANIMOUSLY

**7. A By-law to amend By-law No. 6555,**

**being the Noise Control By-law (400 Great Northern Way) By-law No. 8117**

MOVED by Cllr. Herbert,  
SECONDED by Cllr. Daniel Lee,

THAT the By-law be introduced and read a first time.


- CARRIED UNANIMOUSLY

The By-law was read a first time and the Presiding Officer declared the by-law  
open for discussion and amendment.

There being no amendments, it was

MOVED by Cllr. Herbert,  
SECONDED by Cllr. Daniel Lee,

THAT the By-law be given second and third readings and the Mayor and City  
Clerk be authorized to sign and seal the By-law.



**CITY OF VANCOUVER**

**SPECIAL COUNCIL MEETING MINUTES**

**FEBRUARY 24, 2000**

A Special Meeting of the Council of the City of Vancouver was held on Thursday, February 24, 2000, at 7:35 p.m., in Council Chambers, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law and Official Development Plans.

**PRESENT:** Mayor Philip Owen  
 Councillor Fred Bass  
 Councillor Jennifer Clarke  
 Councillor Daniel Lee  
 Councillor Don Lee  
 Councillor Sandy McCormick  
 Councillor Sam Sullivan

**ABSENT:** Councillor Lynne Kennedy  
 Councillor Tim Louis  
 Councillor Gordon Price (Sick Leave)  
 Councillor George Puil (Civic Business)

**CITY CLERK'S OFFICE:** Tarja Tuominen, Meeting Coordinator

**COMMITTEE OF THE WHOLE**

MOVED by Cllr. Don Lee,  
 SECONDED by Cllr. Daniel Lee,

THAT this Council resolve itself into Committee of the Whole, Mayor Owen in the Chair, to consider proposed amendments to the Zoning and Development By-law and Official Development Plans.

- CARRIED UNANIMOUSLY

**1. Text Amendments: District Schedules, Official Development Plans and**

**CD-1 By-laws - Floor Space Exclusions**

### [Barrett Commission]

An application by the Director of Current Planning was considered as follows:

Summary: The proposed text amendments would provide floor space exclusions to provide construction incentives to control building envelope leaks.

The Director of Current Planning recommended approval.

### Staff Comments

Jacqui Forbes-Roberts, General Manager of Community Services, provided a brief introduction to the report, noting the proposed text amendments would affect new construction and repairs and restoration of existing buildings. Ms. Forbes-Roberts also requested an amendment to the proposed draft by-law to amend By-law 3575 to add RS1 to Section 4.7.3, (d).

Doug Watts, Building Envelope Specialist, with the aid of a slide presentation, described the specifics of the technical and different design issues of the proposed amendments, and explained what steps other municipalities have taken to address the recommendations arising from the Barrett Commission.

### Summary of Correspondence

Council was advised the following correspondence was received since the date the application was referred to Public Hearing:

one letter in support of 'Option A'.

### Speakers

Mayor Owen called for speakers for and against the application.

The following spoke in support of 'Option A':

John Fowler, Canadian Precast/Prestressed Concrete Institute  
Bill McEwen, Masonry Institute of British Columbia (brief filed)  
Peter Reese

The foregoing speakers supported 'Option A' based on one or more of the following points:

application of the current FSR calculations has prevented a wide-spread use of precast concrete exterior walls; there have been very few problems with the use of pre-cast concrete, which has proven to be a versatile and durable material;

thicker exterior walls are better walls, because they can include an airspace cavity behind the cladding which provides a "rainscreen" system, more efficient insulation, thicker, more durable cladding materials; current FSR calculations discourage the foregoing;

the proposed changes in FSR definitions will immediately encourage better wall design;

brick and stone-faced walls should be encouraged.

The following generally supported 'Option A' but felt the proposed text amendments should be referred back to staff for further study and discussion with the industry:

John O'Donnell, AIBC  
Stuart Howard, Vancouver Planning Coalition

The following is a summary of the foregoing speakers' comments:

Option 'A' is supported in principle; however the text amendments also should address overhangs, balconies, elevated walkways, yard setbacks, and site coverage; staff should accept the electronic calculation of areas and the calculations of the Architect, given under seal; letters of assurance from a building envelope specialist are redundant at an early stage; the proposed text amendments should cover everything instead of the City issuing administrative bulletins to address further changes.

### **Staff Closing Comments**

Ralph Segal, Planner; Eric Fiss, Planner; and Doug Watts responded to the issues raised by the speakers: the proposed text amendments are the result of a fair bit of consultation with the industry; a building envelope specialist is required to be involved in the process earlier as technical details are to be submitted at the development permit stage; staff are taking a further look at other issues, such as recesses, balconies and walkways.

Ms. Forbes-Roberts advised Council may proceed with the proposed amendments to the floor space exclusions and request staff to come back with additional amendments. Staff and the industry would prefer the FSR exclusions not be delayed.

MOVED by Cllr. Don Lee,

A. THAT the application by the Director of Current Planning to amend various District Schedules, Official Development Plans and CD-1 By-laws to provide floor space exclusions to provide construction incentives to control building envelope leaks be approved.

FURTHER THAT the draft By-law 3575, section 4.7.3, be amended as follows:

(d) as clause (h) in the following district schedules:

*RS-1 and RS-1S RT-4, etc.*

*(Italics denote amendment)*

B. THAT staff report back on other aspects affecting leakage of buildings, such as overhangs, protection of upper balconies, recesses, etc.

- CARRIED UNANIMOUSLY

**RISE FROM COMMITTEE OF THE WHOLE**

MOVED by Cllr. Don Lee,

THAT the Committee of the Whole rise and report.

- CARRIED UNANIMOUSLY

**ADOPT REPORT OF COMMITTEE OF THE WHOLE**

MOVED by Cllr. Clarke,  
SECONDED BY Cllr. Don Lee,

THAT the report of the Committee of the Whole be adopted, and the Director of Legal Services be instructed to prepare and bring forward the necessary by-law amendments.

- CARRIED UNANIMOUSLY

The Special Council adjourned at 9:20 p.m.

\* \* \* \* \*



---

Comments or questions? You can send us [email](#).

[CITY HOMEPAGE](#)

[GET IN TOUCH](#)

[COMMUNITIES](#)

[SEARCH](#)

(c) 1998 City of Vancouver

## EXPLANATION

Zoning and Development  
Various CD-1 by-laws

Amendments re Exterior Wall Exclusion (Barrett Commission Recommendations)

Following a public hearing on February 24, 2000 Council approved an application, as noted above. There were no prior-to conditions and the Director of Current Planning has advised that the attached by-law can now be enacted to implement Council's resolution.

Director of Legal Services  
14 March 2000

I:\BYLAWS\WPDOCS\PORTER\CD-1CONS.WPD

Exterior Wall Exclusion

BY-LAW NO. 8169

A By-law to amend  
By-laws Nos.

3568 3632 3706 3712 3865 3869 3885 3897 3907 3914 3983 4037 4049 4085 4131  
4238 4271 4358 4397 4412 4559 4580 4597 4634 4674 4677 4775 4825 4829 4860  
4861 4900 4918 4926 4928 4930 4940 4954 4958 4999 5009 5011 5014 5028 5060  
5091 5145 5179 5184 5222 5224 5229 5376 5343 5381 5383 5407 5411 5416 5418  
5477 5510 5548 5555 5579 5597 5683 5702 5717 5762 5773 5810 5836 5838 5852  
5863 5890 5927 5937 5950 5975 5976 5997 6009 6039 6041 6057 6063 6064 6070  
6072 6117 6155 6161 6169 6180 6221 6245 6246 6254 6260 6263 6272 6277 6297  
6305 6307 6310 6312 6313 6314 6315 6316 6317 6318 6319 6320 6321 6322 6323  
6325 6361 6362 6363 6394 6420 6421 6423 6425 6427 6428 6429 6448 6449 6475  
6486 6489 6528 6533 6538 6564 6577 6582 6594 6597 6654 6663 6676 6688 6710  
6713 6714 6715 6718 6730 6731 6738 6739 6740 6744 6747 6757 6759 6760 6768  
6779 6787 6817 6819 6827 6838 6876 6883 6884 6911 6919 6953 6962 6963 6965  
7006 7045 7087 7091 7101 7114 7135 7155 7156 7157 7158 7159 7163 7164 7173  
7174 7175 7189 7193 7196 7198 7200 7201 7204 7208 7209 7210 7223 7224 7230  
7232 7235 7246 7248 7249 7317 7325 7337 7340 7371 7381 7389 7405 7419 7425  
7431 7434 7435 7459 7461 7476 7516 7519 7522 7531 7551 7552 7556 7592 7601  
7602 7638 7639 7645 7647 7648 7649 7651 7652 7654 7655 7656 7672 7673 7675  
7677 7679 7681 7682 7684 7705 7715 7723 7820 7829 7834 7835 7852 7853 7879  
7904 7927 7932 7948 7958 7971 7995 7996 8016 8034 8043 8055 8073 8082 8088  
8097 8109 8111 8116 8130 8131

being By-laws which amended the  
Zoning and Development By-law  
by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting  
assembled, enacts as follows:

1. By-law No. 3907 is amended in Section 2 by deleting the period from the end  
of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been  
recommended by a Building Envelope Professional as defined in the Building  
By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion  
of 152 mm thickness, except that this clause shall not apply to walls in  
existence prior to March 14, 2000."

2. By-law No. 4412 is amended in Section 2 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3. By-law No. 5376 is amended in Section 2 by deleting the period from the end of subclause (iii) and substituting it with a semi-colon and by adding the following subclause:

"(iv) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this subclause shall not apply to walls in existence prior to March 14, 2000."

4. By-laws No. 4825 and 6325 are each amended in Section 3 by deleting the period from the end of subclause (ii) and substituting it with a semi-colon and by adding the following subclause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this subclause shall not apply to walls in existence prior to March 14, 2000."

5. By-law No. 5343 is amended in Section 3 by deleting the period from the end of clause (iii) and substituting it with a semi-colon and by adding the following clause:

"(iv) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000"

6. By-laws No. 4775, 4829, 5222, 5224, 5773 and 6039 are each amended in Section 3 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the

Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

7. By-laws No. 4085, 5411, and 5416 are each amended in Section 3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

8. By-law No. 5407 is amended in Section 3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

9. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

3568 3712 3885 4271 4358 4634 4674 4861 4900 4918 4926 4928  
4930 4940 4958 4999 5009 5011 5014 5028 5060 5145 5179 5184  
5229 5418 5477 5836 5838 5863 5937 5950 5975 5976 4954 6041  
6064 6072 6117 6155 6161 6180 6245 6246 6260 6263 6277 6297  
6305 6307 6394 6420 6425 6427 6428 6429 6448 6449 6489 6538  
6577 6594 6564 6654 6663 6759 6760 6779 6876 6911

10. By-laws No. 6314 and 6582 are each amended in Section 3.1 by deleting the period from the end of clause (ii) and substituting it with a semi-colon and by adding the following clause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

11. By-law No. 6272 is amended in Section 3.1 by deleting the word "and" from the end of subclause (c)(i), by deleting the period from the end of subclause (c)(ii) and substituting it with a semi-colon and by adding the following subclause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

12. By-law No. 4580 is amended in Section 3.2 by deleting the period at the end of the section and substituting it with a semi-colon, by relettering the existing text as clause (a) and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

13. By-law No. 6884 is amended in Section 3.1 by deleting the word "and" from the end of clause (a), by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

14. By-law No. 5683 is amended in Section 3.2 by deleting the period at the end of this section and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor

space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

15. By-law No. 8088 is amended in Section 3.2 by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

16. By-law No. 6009 is amended in Section 3.2 by deleting the period at the end of subclause (e)(vii) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

17. By-law No. 4677 is amended in Section 3.2 by deleting the period at the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

18. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.3 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

4238 4860 5579 5717 5810 5852 5890 6057 6070 6310 6312 6313  
6316 6320 6361 6363 6423 6528 6714 6715

19. By-law No. 7684 is amended in Section 3.3 by deleting the period from the end of clause (a) and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

20. The By-laws listed below are each amended in Section 3.3 by deleting the and from clause (a) and by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

7705 7459 7435 7434 7419 7389 6718

21. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

5458 5548 5597 6962 7045 7682

22. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3897 3983 5510 7144 7208 7476 7516 7820 7927 7996

23. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

" (f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

5091 6486 6676 6688 6713 6730 6787 6817 7159 7337 7531 7552  
7556 7645 7652 7715 7835 7971 8111

24. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

4391 4049 4397 4597 6421 6710 6731 6738 6739 6740 6768  
6827 6838 6919 6953 6963 6965 7006 7091 7092 7101 7135  
7155 7157 7158 7163 7166 7175 7189 7193 7196 7198 7210  
7223 7224 7230 7325 7340 7381 7519 7551 7602 7638 7639  
7647 7651 7655 7723 7932 7948 8082

25. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3869 7173 7522 7601 7656 7672 7834 7852 7853 7904 7958

26. By-laws No. 4559, 7209, 7425 and 7431 are each amended in Section 3.3 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

27. By-laws No. 5997 and 7829 are each amended in Section 3.3 by deleting the period from the end of clause (i) and substituting it with a semi-colon and by adding the following clause:

"(j) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

28. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.4 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

5762 5927 6315 6317 6318 6319 6321 6323 6362

29. By-law No. 7980 is amended

(a) in Section 3.4 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000.", and

(b) in Section 3.7 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

30. By-laws No. 7087 and 7174 are each amended in Section 3.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

31. By-law No. 7246 is amended in Section 3.4 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

32. By-laws No. 8034, 8043 and 8116 are each amended in Section 3.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

33. By-laws No. 6322 and 6597 are each amended in Section 3 by adding the following section:

"3.5 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

34. By-law No. 8016 is amended in Section 3.5 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

35. By-law No. 8055 is amended in Section 3.5 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

36. By-law No. 8130 is amended in Section 3.6 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

37. By-law No. 7648 is amended in Section 3.6 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

38. By-laws No. 6063 and 6221 are each amended in Section 3 by adding the following section:

"4.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

39. By-law No. 5555 is amended in Section 4 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

40. By-law No. 5705 is amended in Section 4 by adding the following section:

"4.3 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

41. By-law No. 7371 is amended in Section 4.3 by deleting the period from the end of clause (a) and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

42. By-law No. 7249 is amended in Section 4.3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

43. By-laws No. 5702 and 7673 are each amended in Section 4.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

44. By-laws No. 6819 and 7238 are each amended in Section 4.3 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

45. The By-laws listed below are each amended in Section 4.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3632 3706 4131 7649 7995 8073 8097

46. By-law No. 5381 is amended in Section 4.3.3 by adding after the existing text the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

47. By-law No. 7592 is amended in Section 4.4 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

48. By-law No. 6883 is amended in Section 4.4 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

49. By-laws No. 4037 and 7405 are each amended in Section 4.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum

exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

50. By-law No. 7201 is amended in Section 4.5 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

51. By-law No. 5383 is amended in Section 5 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

52. By-law No. 6533 is amended in Section 5.2.4 by deleting the period at the end of the existing text and substituting it with a semi-colon and by adding the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

53. By-law No. 7654 is amended in Section 5.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

54. By-law No. 7677 is amended in Section 5.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum

exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

55. By-laws No. 7675, 7681 and 8109 are each amended in Section 5.3 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

56. By-laws No. 3865 and 6475 are each amended in Section 5.3.3 by deleting the period from the end of the existing text and substituting it with a semi-colon and by adding the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

57. By-law No. 7879 is amended in Section 5.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

58. By-law No. 8131 is amended in Section 5.4 by deleting the period from the end of clause (j) and substituting it with a semi-colon and by adding the following clause:

"(k) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

59. By-law No. 6169 is amended in Section 6 by adding the following section:

"6.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the

Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

60. By-law No. 7679 is amended in Section 6.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

61. By-law No. 7317 is amended in Section 6.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

62. By-laws No. 7156, 7200, and 7232 are each amended in Section 6.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

63. By-law No. 7461 is amended in Section 6.3 of Schedule B by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

64. By-law No. 7248 is amended in Section 6.3 by deleting the period from the end of clause (i) and substituting it with a semi-colon and by adding the following clause:

"(j) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

65. By-law No. 6744 is amended in Section 6.3 by deleting the period from the end of clause (j) and substituting it with a semi-colon and by adding the following clause:

"(k) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

66. By-laws No. 6747 and 7204 are each amended in Section 7.3 of Schedule B, by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

67. By-law No. 6757 is amended in Section 7.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

68. By-law No. 6254 is amended in Section 8 by deleting the period from the end of the second clause (a), which clause ends with the word "computation", and substituting a semi-colon and by inserting the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000;"

69.

This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 14th day of March , 2000.

(Signed) Philip W. Owen  
Mayor

(Signed) Ulli S. Watkiss  
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 14th day of March 2000, and numbered 8169.

CITY CLERK"

Seniors supportive or assisted housing

**BY-LAW NO. 8824**

**A By-law to amend By-law No's.  
3568, 3914 (13A), 3914 (13B), 4472, 4634, 4674, 6953, 7091, 7114, 7158, 7204,  
7461, 7651, 7655, 7723, 7852, 7853, 8088, 8097, 8369, 8457 and 8592  
which amended Zoning and Development By-law No. 3575 by  
rezoning certain areas to CD-1**

THE COUNCIL OF THE CITY OF VANCOUVER, in public meeting, enacts as follows:

1. In By-law No. 3568, Council:

- (a) from section 2(e), in three instances, strikes out "congregate", and substitutes "seniors supportive or assisted housing";
- (b) from clause 7 of Table A in section 3, strikes out "Congregate", and substitutes "Seniors supportive or assisted housing"; and
- (c) from section 4(c), strikes out "congregate", and substitutes "seniors supportive or assisted".

1. In By-law No. 3914 (13A), Council, in section 2:

- (a) re-letters clauses (b) and (c) as (c) and (d); and
- (b) after clause (a), inserts "(b) Seniors Supportive or Assisted Housing;"

2. In By-law No. 3914 (13B), Council:

- (a) from section 2(b), strikes out "Special Needs Residential Facility - Congregate Housing", and substitutes "Seniors Supportive or Assisted Housing";
- (b) from section 2.A.1, strikes out "Congregate Housing", and substitutes "Seniors supportive or assisted housing"; and
- (c) from section 8.2, strikes out "congregate", and substitutes "seniors supportive or assisted".

3. In By-law No. 4472, Council, from sections 4.1.3, 4.2.9, 4.3.3, and 4.4.5, strikes out "Special Needs Residential Facility - Congregate", and substitutes "Seniors Supportive or Assisted".
4. In By-law No. 4634, Council, in section 2:
  - (a) re-letters clauses (c), (d), and (e) as (d), (e), and (f); and
  - (b) after clause (b), inserts "(c) seniors supportive or assisted housing;"
5. In By-law No. 4674, Council, from section 2(a), strikes out "Congregate Housing Facility", and substitutes "Seniors Supportive or Assisted Housing".
6. In By-law No. 6953, Council, from section 2(a), strikes out "Special Needs Residential Facility - Congregate Housing Facility", and substitutes "Seniors Supportive or Assisted Housing".
7. In By-law No. 7091, Council, in section 2:
  - (a) re-letters clause (d) as (e); and
  - (b) after clause (c), inserts "(d) Seniors Supportive or Assisted Housing;"
8. In By-law No. 7114, Council, in section 2:
  - (a) re-letters clauses (a) and (b) as (b) and (c); and
  - (b) before clause (b), inserts "(a) Seniors Supportive or Assisted Housing;"
9. In By-law No. 7158, Council, in section 2:
  - (a) re-letters clause (c) as (d); and
  - (b) after clause (b), inserts "(c) Seniors Supportive or Assisted Housing;"
10. In By-law No. 7204, Council, in Schedule B:
  - (a) in section 3, re-letters clauses (i) and (j) as (j) and (k);
  - (b) in section 3, after clause (h), inserts "(i) Seniors Supportive or Assisted Housing;" ;
  - (c) from Table 1, strikes out ", and Special Needs Residential Facility - Congregate Housing";

- (d) from Table 2, strikes out “, and, in respect only of sub-areas 7, 8 and 10, Special Needs Residential Facility - Congregate Housing”;
- (e) from section 7.6, strikes out “and Special Needs Residential Facility - Congregate Housing”; and
- (f) from section 10(b) strikes out “Special Needs Residential Facility - Congregate Housing”, and substitutes “seniors supportive or assisted housing”.

11. In By-law No. 7461, Council, in Schedule B:

- (a) from section 3(h), strikes out “Special Needs Residential Facility - Congregate Housing”, and substitutes “Seniors Supportive or Assisted Housing.”; and
- (b) from sections 3A, 6.3(e), 6.5, and 8, and from footnote 5 to Table 1, strikes out “Special Needs Residential Facility - Congregate Housing”, and substitutes “seniors supportive or assisted housing”.

12. In By-law No. 7651, Council, from sections 2(a), 4, and 6, strikes out “Special Needs Residential Facility - Congregate Housing”, and substitutes “Seniors Supportive or Assisted Housing”.

13. In By-law No. 7655, Council, from section 2.1, strikes out “Special Needs Residential Facility - Congregate Housing”, and substitutes “Seniors Supportive or Assisted Housing”.

14. In By-law No. 7723, Council, from section 2(b), strikes out “Special Needs Residential Facility - Congregate Housing”, and substitutes “Seniors Supportive or Assisted Housing”.

15. In By-law No. 7852, Council, in section 2.1:


- (a) re-letters clauses (a) and (b) as (b) and (c); and
- (b) before clause (b), inserts “(a) Seniors Supportive or Assisted Housing.”.

16. In By-law No. 7853, Council, in section 2.1:

- (a) re-letters clauses (f) and (g) as (g) and (h); and
- (b) after clause (e), inserts “(f) Seniors Supportive or Assisted Housing.”.

17. In By-law No. 8088, Council, in section 2:
- (a) re-letters clauses (a) and (b) as (b) and (c); and
  - (b) before clause (b), inserts "(a) Seniors Supportive or Assisted Housing;"
18. In By-law No. 8097, Council, from sections 2(a) and 3.1, strikes out "Special Needs Residential Facility - Congregate Housing", and substitutes "Seniors Supportive or Assisted Housing".
19. In By-law No. 8369, Council, from section 2(b), strikes out "Special Needs Residential Facility - Congregate Housing", and substitutes "Seniors Supportive or Assisted Housing".
20. In By-law No. 8457, Council, in section 2:
- (a) re-letters clauses (a), (b), and (c) as (b), (c), and (d); and
  - (b) before clause (b), inserts "(a) Seniors Supportive or Assisted Housing;"
21. In By-law No. 8592, Council:
- (a) from section 2(a), strikes out "Special Needs Residential Facility - Congregate Housing", and substitutes "Seniors Supportive or Assisted Housing"; and
  - (b) from section 5(a), strikes out "Special Needs Residential Facility - Congregate Housing", and substitutes "seniors supportive or assisted housing".
22. This By-law is to come into force and take effect on the date of its enactment.

ENACTED by Council this 6<sup>th</sup> day of April, 2004

  
\_\_\_\_\_  
Mayor

  
\_\_\_\_\_  
City Clerk



City of Vancouver  
Search  
Help

[Clerk's Home](#)   [Council Members](#)   [Meeting Info.](#)   [Schedule & Agendas](#)   [Civic Awards](#)   [Clerk's Site Map](#)



CITY OF VANCOUVER

SPECIAL COUNCIL MEETING MINUTES

FEBRUARY 24, 2004

A Special Meeting of the Council of the City of Vancouver was held on Tuesday, February 24, 2004, at 7:40 p.m., in the Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law and Official Development Plans, to designate heritage property, and to enter into a Heritage Revitalization Agreement.

**PRESENT:**

- Mayor Larry Campbell
- Councillor Fred Bass
- Councillor David Cadman
- Councillor Jim Green
- Councillor Peter Ladner
- Councillor Raymond Louie
- Councillor Tim Louis
- Councillor Anne Roberts
- Councillor Tim Stevenson
- Councillor Sam Sullivan
- Councillor Ellen Woodsworth

**CITY CLERK'S OFFICE:**                      Laura Kazakoff, Meeting Coordinator

**COMMITTEE OF THE WHOLE**

MOVED by Councillor Roberts  
SECONDED by Councillor Louie

THAT this Council resolve itself into Committee of the Whole, Mayor Campbell in the Chair, to consider proposed amendments to the Zoning and Development By-law and Official Development Plans, to designate heritage property, and to enter into a Heritage Revitalization Agreement.

CARRIED UNANIMOUSLY

**1. Heritage Designation: 450 West 2<sup>nd</sup> Avenue**

An application by Bastion Developments was considered as follows:

Summary:    Heritage designation of the Nye Building at 450 West 2<sup>nd</sup> Avenue.

The Director of Current Planning recommended approval.

**Staff Comments**

Terry Brunette, Heritage Planner, was present to respond to questions.

**5. Text Amendment: Seniors Supportive or Assisted Housing**

An application by the Director of Current Planning was considered as follows:

Summary: To define Seniors Supportive or Assisted Living (formerly Congregate Housing for Seniors) as a residential, not institutional use. If approved, consequential amendments will be required to the Parking By-law and other guideline documents.

The Director of Current Planning recommended approval.

**Staff Comments**

Rob Whitlock, Senior Housing Officer, Housing Centre, in response to a question, noted that the Seniors Advisory Committee had reviewed this application.

**Summary of Correspondence**

Council received no correspondence on this item since referral to Public Hearing.

**Speakers**

The Mayor called for speakers for and against the application and none were present.

**Council Decision**

MOVED by Councillor Woodsworth

A. THAT the application by the Director of Current Planning to amend the text of the Zoning and Development By-law and various other by-laws and guidelines to reflect changes related to seniors housing generally as set out in Appendix A of the Policy report dated January 2, 2004 entitled "Zoning and Development By-law: Changes to Facilitate Seniors Housing" be approved.

B. THAT, subject to approval of the zoning by-law amendments, the by-law be accompanied at time of enactment by amendments to the Parking By-law and other guidelines documents.

CARRIED UNANIMOUSLY

## BY-LAWS

MOVED by Councillor Green  
SECONDED by Councillor Louie

THAT Council, except for those members excused as noted in the agenda, enact the by-laws listed on the agenda for this meeting as numbers 1 to 10 inclusive, and authorize the Mayor and City Clerk to sign and seal the enacted by-laws.

CARRIED UNANIMOUSLY  
(Councillor Roberts absent for the vote)

1. A By-law to Alter the Boundaries of the Gastown Business Improvement Area (2004-2009) (By-law No. 8823)
- \* 2. A By-law to amend various by-laws which amended Zoning and Development By-law No. 3575 by rezoning certain areas to CD-1 (re congregate housing) (By-law No. 8824)
3. A By-law to amend Zoning and Development By-law No. 3575 (re congregate housing) (By-law No. 8825)
4. A By-law to amend Downtown-Eastside/Oppenheimer Official Development Plan By-law No. 5532 (re congregate housing) (By-law No. 8826)
5. A By-law to amend First Shaughnessy Official Development Plan By-law No. 5546 (re congregate housing) (By-law No. 8827)
6. A By-law to amend Parking By-law No. 6059 (re congregate housing) (By-law No. 8828)
7. A By-law to authorize Council entering into a Heritage Revitalization Agreement with the Owner of Heritage Property (55 East Cordova Street) (By-law No. 8829)
8. A By-law to authorize Council entering into a Heritage Revitalization Agreement with the Owner of Heritage Property (1826 and 1830-1850 Blanca Street) (By-law No. 8830)  
(Councillors Cadman, Green, Louie and Roberts were excused from voting on By-law No. 8)
9. A By-law to designate certain real property as protected heritage property (1826 Blanca Street) (By-law No. 8831)  
(Councillors Cadman, Green, Louie and Roberts were excused from voting on By-law No. 9)
10. A By-law to amend Noise Control By-law No. 6555 (re 1201 West Hastings Street) (By-law No. 8832)