

CD-1 (328)

Back-up Notes Summary Page

4066 Macdonald Street and 2785 Alamein Avenue

BY-LAWS

CD-1 (328) - By-law [No. 7337](#) and any subsequent amending by-laws

http://app.vancouver.ca/bylaw_net/Report.aspx?bylawid=7337

Consequential By-laws

Noise [No. 11814](#) Schedule B <https://bylaws.vancouver.ca/6555c.pdf>

POLICIES and GUIDELINES

Arbutus Ridge/Kerrisdale/Shaugnessy (ARKS) Community Vision, (2005)

<http://vancouver.ca/docs/planning/arbutus-ridge-kerrisdale-shaugnessy-arks-community-vision-full-report.pdf>

CD-1 (328) By-law No. 7337 (1994, last amended 2003)

<http://bylaws.vancouver.ca/consolidated/7337.PDF>

Community Amenity Contributions Through Rezoning (1999, last amended 2016)

<http://vancouver.ca/files/cov/community-amenity-contributions-through-rezonings.pdf>

Green Buildings Policy for Rezoning (2010, last amended 2014)

http://vancouver.ca/files/cov/green_building_policy_for_rezoning.pdf

High-Density Housing for Families with Children Guidelines (1992)

<http://guidelines.vancouver.ca/H004.pdf>

PUBLIC HEARINGS - Minutes, Reports, Posted By-laws, etc.

PH Date *March 17, 1994* - Item 1

Summary - to rezone from C-1 to CD-1 to permit a motor vehicle repair shop (6 repair bays) to a maximum of 348 sq. m; a general office, some service uses, child day care facility, to a maximum of 168 sq. m; multiple dwelling, to a maximum of 281 sq. m; accessory uses; maximum height of 9.2 m; and provisions regarding off-street parking and loading.

By-law enacted on *September 13, 1994*

PH Date *February 24, 2000* - Item 1 - http://council.vancouver.ca/previous_years/000224/ph000224.htm

Summary - to provide floor space exclusions to provide construction incentives to control building envelope leaks.

By-law enacted on *March 14, 2000*

PH Date *April 10 and 24, 2001* - Item 2 - <http://council.vancouver.ca/010410/ph010410.htm>

Summary - to clarify parking requirements and floor space exclusion provisions in two separate CD-1 by-laws.

By-law enacted on *May 15, 2001*

PH Date *January 22, 2002* - Item 2 - <http://council.vancouver.ca/020122/ph020122.htm>

Summary - to correct or clarify various sections of the Zoning and Development By-law, CD-1 By-laws, and the Sign By-law Parking Changes.

By-law enacted on *February 5, 2002*

PH Date *November 20, 2003* - Item 1 - <http://council.vancouver.ca/20031120/ph20031120.htm>

Summary - to amend the Zoning & Development By-law, CD-1 By-laws and Official Development Plans generally as set out in Appendices A & B of the Policy Report entitled "Miscellaneous Text Amendments: Zoning and Development By-law, CD-1 By-laws, and Official Development Plans, Zoning and Development Fee By-law and Policies and Guidelines".

By-law enacted on *December 9, 2003*

PH Date *December 13, 2016* - Item 6 - <http://council.vancouver.ca/20161213/phea20161213ag.htm>

Summary - to permit the development of a three-storey mixed-use building and a three-storey duplex, with a total of 186 m² (2,007 sq. ft.) of commercial space and eight dwelling units. A height of 11.3 m (37 ft.) and a floor space ratio (FSR) of 1.35 are proposed.

By-law enacted on *May 30, 2017*

Backup Notes

CITY OF VANCOUVER

9

SPECIAL COUNCIL MEETING

A Special Meeting of the Council of the City of Vancouver was held on Thursday, March 17, 1994, at 7:30 p.m., Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to amend the Zoning and Development By-law.

PRESENT: Mayor Owen
Councillors Chiavario, Clarke, Hemer,
Kennedy, Kwan, Price, Puil and
Sullivan (clauses 3-6)

ABSENT: Councillor Bellamy (Leave of Absence)
Councillor Ip (Illness)

CLERK TO THE COUNCIL: Gary MacIsaac

COMMITTEE OF THE WHOLE

MOVED by Cllr. Puil,
SECONDED by Cllr. Hemer,

THAT this Council resolved itself into Committee of the Whole, Mayor Owen in the Chair, to consider proposed amendments to the Zoning and Development By-law.

- CARRIED UNANIMOUSLY

1. Rezoning: 4066 MacDonald Street and 2785 Alamein Street (Lots 14, 15 & 16 of 4, Block 1, D.L. 139, Plan 4556)

An application by Loy Leyland, Architect (4066 MacDonald Street) and the Director of Planning (2785 Alamein Street) was considered as follows:

REZONING: 4066 MACDONALD STREET AND 2785 ALAMEIN STREET (Lots 14, 15 & 16 of 4, Block 1, D.L. 139, Plan 4556)

Present Zoning: C-1 Commercial District

Proposed Zoning: CD-1 Comprehensive Development District

- (i) If approved, the rezoning would permit the use and development of the site generally as follows:

- motor vehicle repair shop (6 repair bays) to a maximum of 348 m² (3,746 sq. ft.);
- general office, some service uses, child day care facility, to a maximum of 168 m² (1 808 sq. ft.);

Clause No. 1 continued

- multiple dwelling, to a maximum of 281 m² (3,025 sq. ft.);
- accessory uses;
- maximum height of 9.2 m (30 ft.); and
- provisions regarding off-street parking and loading.

(ii) Amend Sign By-law No. 6510.

(iii) Any consequential amendments.

The Director of Planning recommended approval subject to the following conditions proposed for adoption by resolution of Council.

(a) That the proposed form of development for the westerly 20.4 m (67 ft.) of the site be approved by Council in principle, generally as prepared by Loy Leyland, Architect, and stamped "Received City Planning Department, July 20, 1993 and November 12, 1993", provided that the Director of Planning may allow minor alterations to this form of development when approving the detailed scheme of development as outlined in (b) below.

(b) That, prior to approval by Council of the form of development, the applicant shall obtain approval of a development application by the Director of Planning, who shall have particular regard to the following:

(i) provide on-site manoeuvring for access to the loading bay;

*deleted
15 spaces parking
required*
~~(ii) eliminate the garage doors opening to the lane by reversing the position of the office and the two easterly bays adjacent to the lane and enclosing the two westerly bays and workshop with access only from the interior of the site;~~

(iii) set back building from Macdonald Street to respect required 2.1 (7 ft.) dedication for road;

(iv) set back parking spaces by 1 m (3.3 ft.) from Macdonald Street and provide landscaping to the satisfaction of the Director of Planning;

(v) provision of a survey plan showing the location of the existing house at 2785 Alamein Street, if retained, in relation to proposed parking;

Clause No. 1 continued

- (vi) provision of outdoor open spaces at the front and rear of the existing one-family dwelling, if retained, with no parking in the front yard;
 - (vii) off-street parking configuration and landscaped setbacks, in the event that the existing dwelling on the easterly 10 m (33 ft.) of the site is demolished and this portion of the site is used for ancillary parking.
- (c) That prior to enactment of the CD-1 By-law, the registered owner shall:
- (i) consolidate the site;
 - (ii) dedicate the west 2.1 m (7 ft.) of the site for road;
 - (iii) obtain and submit to the City a letter from the B.C. Ministry of Environment indicating that a soils analysis site characterization has been completed by a professional recognized in this field; and provide a legal agreement (which may be registered against the property, at the discretion of the Director of Legal Services), in consultation with appropriate Department Heads, indemnifying the City against any liability which may be incurred by the City as a result of any contamination present on the site and providing a program of remediation as may be deemed necessary and approved by the B.C. Ministry of Environment, in a sequence of steps to be prescribed, monitored and certified complete by such a professional and approved by the Ministry.

A review of the correspondence on this matter revealed one letter of support and one letter opposing the application.

Mr. Tom Phipps, Planner, advised this application proposes a total of six repair bays and office and work shop on a site on the northwest corner of Alamein Street. This site is presently used for two repair bays and an office. The existing business now occupies two of three C-1 zoned lots on that corner. The third lot is owned by the garage owner, but there is a house located there. The Director of Planning has applied to rezone the third lot to be included in the same CD-1 district because that site lacks direct access from MacDonald Street, and could be developed for other uses under C-1 zoning which would create unacceptable impacts on Alamein Street.

Clause No. 1 continued

Planning staff support the Motor Vehicle repair shop in this location because it is providing a local service. The industrial aspects of the site must be addressed, such as the storage of vehicles brought for repair, and the issue of repair bays opening out to the RS-1 lots to the north across the lane without the usual 25 foot rear setback required in C-1 zoning.

There is an on-street parking problem in the area, and this site contributes in part to this problem. Engineering studies indicate a standard of 21 parking spaces should be provided if the six repair bays are developed. This would require demolition of the existing non-conforming house on the adjoining lot. However, five bays could be achieved without the demolition of this house.

Mr. Phipps concluded that enclosure of the garage doors opening on the laneway would lessen the impact on the adjacent single-family neighbourhood.

Mr. Loy Leyland, applicant, advised this site has been used for automotive repair for 42 years, and is the only repair shop in that part of the City.

Mr. Leyland asked that Council consider two issues the applicant has been unable to resolve with the Planning Department. They are the issues of parking and the number of doors fronting on the laneway.

In C-2 zoning, which is normally the zoning for automotive repair, the parking requirement is one space per 100 sq. metres. Under the proposed CD-1 zoning, the applicant is being asked to provide 21 spaces, which is one space per 15 sq. metres. The applicant feels the 21 space requirement is punitive and unnecessary. The parking problem in the neighbourhood is not caused by this facility, and a new development would not significantly increase this problem. The parking requirement could be reduced by parking cars in the building during the evening and by parking in tandem on the adjacent site. It was also suggested that resident-only parking might be an alternative for the neighbourhood.

The applicant is proposing that five doors front on the laneway. These plans have been considered by the Urban Design Panel which voiced no objection to the number of doors on the lane. The applicant is prepared to reduce this request somewhat, but it is unreasonable to be required to close all of the doors.

Clause No. 1 continued

Mr. Fred Tremblay, owner of the garage, advised his family has been providing a community-based service on this site for many years. If his company is prohibited from having doors opening onto the laneway, the building will not function properly. Mr. Tremblay also filed 37 letters from adjacent neighbours indicating support for the project (on file in the City Clerk's Office).

Mayor Owen called for speakers for or against the application and none were present.

MOVED by Cllr. Puil,

THAT the application be approved subject to the conditions as set out in this minute of the Public Hearing, but with the elimination of condition (b)(ii).

- CARRIED UNANIMOUSLY

(Councillor Sullivan was absent for the vote)

Council also referenced the parking problem caused in this area by the Motor Vehicle testing station, and suggested that should complaints be received about parking from the existing neighbourhood, the matter be referred to the Traffic Commission for consideration of "resident-only" parking.

Later in the Public Hearing, after item #2, it was brought to the attention of Council by the applicant, that he felt the issue of parking had not been resolved. The City Manager advised there may be procedural problems at this time as the Public Hearing on this matter had ended. It was suggested that, should Council wish to consider this matter, it pass a resolution expressing its intent, subject to approval by the Director of Legal Services.

MOVED by Cllr. Puil,

THAT the applicant be required to provide 15 parking spaces on this site.

- CARRIED UNANIMOUSLY

(Councillor Sullivan was absent for the vote)

Note from Clerk: The Director of Legal Services has advised Councillor Puil's motion regarding parking is in order.

4066 Macdonald Street
and 2785 Alamein Avenue

328

BY-LAW NO. 7337

**A By-law to amend
By-law No. 3575, being the
Zoning and Development By-law**

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled,
enacts as follows:

1. The "Zoning District Plan" annexed to By-law No. 3575 as Schedule "D" is hereby amended according to the plan marginally numbered Z-426(b) and attached to this By-law as Schedule "A", and in accordance with the explanatory legends, notations and references inscribed thereon, so that the boundaries and districts shown on the Zoning District Plan are varied, amended or substituted to the extent shown on Schedule "A" of this By-law, and Schedule "A" of this By-law is hereby incorporated as an integral part of Schedule "D" of By-law No. 3575.

2. Uses

The area shown included within the heavy black outline on Schedule "A" shall be more particularly described as CD-1(328), and the only uses permitted within the outlined area, subject to such conditions as Council may by resolution prescribe, and the only uses for which development permits will be issued are:

- (a) Barber Shop or Beauty Salon;
- (b) Child Day Care Facility;
- (c) Dwelling Units in conjunction with any of the uses listed in this By-law except Motor Vehicle Repair Shop, and limited to
 - (i) floors having an elevation of more than 2.0 m above street grade, and
 - (ii) the easterly 10.0 m of the site;
- (d) General Office, located on a floor having an elevation within 2.0 m of street grade;
- (e) Laundromat or Dry Cleaning Establishment;
- (f) Motor Vehicle Repair Shop;
- (g) Multiple Dwelling but limited to the easterly 10.0 m of the site;

- (ii) no more than fifty percent of the excluded balcony floor area may be enclosed;"

3. By-law No. 7246 is amended in section 3.5 by deleting clause (a) and by substituting the following new clause (a):

"(a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure subject to the following:

- (i) the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided; and
- (ii) no more than fifty percent of the excluded balcony floor area may be enclosed;"

4. By-law Nos. 7156, 7200, 7232 and 7248 are each amended in section 6.4 by deleting clause (a) and by substituting the following new clause (a):

"(a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure subject to the following:

- (i) the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided; and
- (ii) no more than fifty percent of the excluded balcony floor area may be enclosed;"

5. By-law No. 7317 is amended in section 6.4 by deleting clause (a) and by substituting the following new clause (a):

"(a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure subject to the following:

- (i) the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided; and
- (ii) no more than fifty percent of the excluded balcony floor area may be enclosed."

- (d) amenity areas, including child day care facilities, recreational facilities and meeting rooms accessory to a residential use, to a maximum total area of 10 percent of the total building floor area, provided that for child day care facilities the Director of Planning, on the advice of the Director of Social Planning, is satisfied that there is a need for a day care facility in the immediate neighbourhood;
- (e) residential storage space provided that where the space is provided at or above base surface, the maximum exclusion shall be 3.7 m² per dwelling unit.

3.4 The Director of Planning may permit the following to be excluded in the computation of floor area:

- (a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure, and provided further that the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided.

4. Height

The maximum building height measured above the base surface is 9.2 m and the building must not extend beyond 3 storeys, except that a Motor Vehicle Repair Shop must not exceed a height of 7.0 m.

5. Setbacks

The minimum setback of a building from property boundaries is as required under the C-1 District Schedule, except that a side yard need not be more than 1.0 m in width and the setback for a Motor Vehicle Repair Shop will be as shown in the approved form of development.

7. Off-Street Parking and Loading

Off-street parking and loading must be provided, developed and maintained in accordance with the applicable provisions of the Parking By-law, except that Motor Vehicle Repair Shop requires one space for each 15 m² up to 300 m² gross floor area and one space for each additional 30 m² gross floor area, to a maximum of 15 spaces.

8. Acoustics

All development permit applications require evidence in the form of a report and recommendations prepared by a person trained in acoustics and current techniques of noise measurement demonstrating that the noise levels in those portions of the dwelling units listed below will not exceed the noise level set opposite such portions. For the purposes of this section the noise

level is the A-weighted 24-hour equivalent (Leq) sound level and will be defined simply as noise level in decibels.

<u>PORTIONS OF DWELLING UNITS</u>	<u>NOISE LEVELS (DECIBELS)</u>
bedrooms	35
living, dining, recreation rooms	40
kitchen, bathrooms, hallways	45
terraces, patios, balconies	60

9. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 13th day of September , 1994.

"(signed) Philip W. Owen"
Mayor

"(signed) Maria C. Kinsella"
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 13th day of September 1994, and numbered 7337.

CITY CLERK"

BY-LAW No. 7337 BEING A BY-LAW TO AMEND BY-LAW No. 3575
BEING THE ZONING & DEVELOPMENT BY-LAW

23RD AVE.

24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	

23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	

13	12	11	10	9	8	7	6	5	4	3	2	1

8	7	6	5	4	3	2	1	12	11	10	9	8	7

24TH AVE.

9	10	11	12	13	14	15	16	17	18	19	20

1	3	4	5	6	7	8	1	2	3	4	5	6	7	8


16	15	14	13	12	11	10	9	16	15	14	13	12	11	10	9

16	15	14	13	12	11	10	9	16	15	14	13	12	11	10	9

MACDONALD ST.

TRAFALGAR ST.

ALAMEIN AVE.



1	3	4	5	6	7	8	9	10

21	20	19	18	17	16	15	14	13	12	11

OLIVER CRES.

A	B	2	3	4	5	6	7	8	9	10

The property outlined in black (■) is rezoned:
From **C-1** To **CD-1**

Z-426(b)

RZ 4066 Macdonald St. & 2875 Alamein Ave.

map: 1 of 1

City of Vancouver Planning Department

scale: 1:2000



MOTION

4066 Macdonald Street and ~~2874~~²⁷⁸⁵ Alamein Avenue

MOVED BY: *Jennifer Clarke*

SECONDED BY: *Craig Hamer*

THAT the approved form of development for ²⁷⁸⁵ the CD-1 zoned site known as 4066 Macdonald Street and ~~2874~~ Alamein Avenue be amended generally as illustrated in DA 216662, prepared by Loy Leyland, Architect and stamped "Received, City of Vancouver, Planning Department, March 25, 1994", provided that the Director of Planning may approve design changes which would not adversely affect either the development character and livability of this site or adjacent properties.

APPROVED BY VANCOUVER CITY COUNCIL AT ITS MEETING OF SEPTEMBER 13, 1994.

Maria C. Stinsella
CITY CLERK

BY-LAW NO. 7338

**A By-law to amend
By-law No. 6510, being the
Sign By-law**

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled, enacts as follows:

1. Schedule E to By-law No. 6510 is amended by adding the following:

"4066 Macdonald St. and
2785 Alamein St. CD-1(328) B(C-1)"

2. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 13th day of
September, 1994.

"(signed) Philip W. Owen"
Mayor

"(signed) Maria C. Kinsella"
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 13th day of September 1994, and numbered 7338.

CITY CLERK"

Clause 1(a) and (b) (cont'd)

This development is also in keeping with Council's strategy of reducing traffic congestion by encouraging residential development in this area and reducing commuters. The application also provides for a substantial amount of bicycle parking within the new residential complex.

Staff Closing Comments

Staff offered no additional comments.

Council Decision

Prior to making a decision, several members of Council expressed the view that staff need to reconsider their approach when notifying residents about rezoning applications, as well as other City-related issues. Members of Council also referred to a previously requested report on waterfront tower height and Council expressed a desire to see this report as soon as possible.

MOVED by Cllr. Bellamy,

THAT this application be approved, subject to the conditions as set out in this minute of the Public Hearing.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Price,

THAT the City Manager ensure that when the anticipated report from the Housing Centre on housing affordability comes back, it deals with the issues related to Triangle West and new neighbourhoods.

- CARRIED UNANIMOUSLY

2. Balcony Enclosures and Acoustic Requirements

An application by the Director of Land Use and Development was considered as follows:

The proposed amendments to various zoning District Schedules, Official Development Plans and CD-1 Comprehensive Development District By-laws, would either:

- not allow any of the permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies except in buildings existing prior to April 23, 1985 in which case the present regulations would apply; or

cont'd....

Clause No. 2 (cont'd)

- continue to permit a maximum of 8 percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for balconies BUT to permit no more than half of excluded floor area to be enclosed; or
- permit no more than 8 percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies.

The proposed acoustic amendments would delete the acoustic requirement for balconies, terraces, patios, etc.

Amended Balcony Enclosure Guidelines and Policies are also proposed.

The Director of Land Use and Development recommended approval of this application.

Staff Opening Comments

Mr. Ralph Segal, Planner, provided background on this issue and introduced the options before Council this evening.

In 1964, in order to improve livability in higher density multiple dwelling developments, open balconies were excluded from FSR to a maximum of eight percent of residential floor area. In the early 1980s, the City received numerous requests from owners of units in existing buildings to enclose their balconies for reasons of poor insulation and acoustics, air drafts and other interior problems. In response, Council in 1985 adopted balcony enclosure guidelines by which enclosed balconies would continue to be excluded from FSR.

Subsequently, in response to the development industry's request for equity, Council permitted this exclusion to apply to new construction, subject to adherence to the guidelines. Since then, new buildings have, to an increasing degree, incorporated enclosed balconies as additional interior space displacing the private open space, the open balconies, for which the FSR exclusion had been originally provided.

Since enclosed balcony space has been successfully marketed at the full per square foot price of the rest of the dwelling unit, many developers have been more and more aggressive in seeking the full eight percent exclusion for enclosed balconies. This differs from a mix of open and enclosed balconies that were anticipated when the exclusion was first put in place.

cont'd....

Clause No. 2 (cont'd)

With the aid of photographs distributed to Council (on file in the City Clerk's Office), Mr. Segal explained that enclosure of most or all balconies bulks up buildings by filling in the volumes of open balconies and intends to create less residential, more office-like buildings. Exclusions from FSR are usually given to encourage developers to provide facilities that are considered important for livability but would likely not be provided without that incentive. In this case, bonuses are being permitted when they the negative affect of displacing the private open space for which the FSR exclusion was intended.

Recommendation A1 would eliminate the FSR exclusion for enclosed balconies except in the buildings existing prior to 1985, as per the original intent of the balcony enclosure provisions. Alternatively, should Council consider that enclosed balconies do have merit, A2 is offered which states that no more than half of the excluded balcony area may be enclosed. The third option, A3 is to simply allow outright the full eight percent exclusion to be enclosed.

This application also proposes an acoustic amendment. At present, acoustic requirements in many district schedules and CD-1 by-laws apply to standards in both rooms within the unit as well as exterior balconies and patios. As the current standard often requires balconies to be enclosed, even when this is not desired, the proposed amendment will delete this requirement. Mr. Segal also explained that amendments are proposed to the balcony enclosure guidelines which would delete provisions calling for easy conversion of enclosed balconies back to open balconies, as well as adding several additional clauses which will clarify the design intent in new construction.

Responding to a question from a member of Council, Mr. Segal advised of an error in the memorandum dated July 18, 1995 from the City Clerk, which referred this matter to Public Hearing. Recommendation A1 makes reference to excluding floor space ratio for enclosed balconies except in buildings existing prior to April 23, 1995. This should read April 23, 1985.

A member of Council enquired whether these guidelines would permit a style of balcony sometimes referred to a french balconies. Mr. Segal advised this style would not be permitted under the proposed guidelines.

Council members also enquired whether thresholds will still be required between the interior unit and the closed balconies. It was confirmed the proposed guidelines still contain this threshold requirement.

cont'd....

Clause No. 2 (cont'd)

Correspondence

All correspondence received prior to this matter being referred to Public Hearing was included as Appendix E in the Council report. One additional letter stressing the need for more open balconies in Vancouver and another favouring option A2, were also received.

Speakers

The Mayor called for speakers for and against the application, and the following addressed Council.

Mr. Hans Schmidt, representing the Society of Soundscape Preservation, expressed concern with the proposed deletion of acoustic requirements, on the grounds that if these requirements are deleted, the City is simply accommodating the noise which exists and not attempting to eliminate or reduce it. A greater emphasis should be directed towards elimination of the source of noise.

Mr. Dugal Purdie, on behalf of the Urban Development Institute (UDI), indicated his support for option A2 as it represents an appropriate compromise. The UDI is strongly opposed to A1 as this would affect proformas upon which construction was predicated upon. Mr. Purdie urged Council to support recommendation A2 with an amendment to exclude the applicability of the guidelines to enclosed space, as the Institute believes the total design of the building should be left with the architects and reviewed through the existing development permit process, without the addition of guidelines.

Mr. Stuart Howard, on behalf of the Architectural Institute of British Columbia (AIBC), lent his support to option A2, as it represents a compromise position. AIBC would ultimately prefer option 5 as stated in its May 30, 1995 brief to Council, but is willing to accept the compromise position. Mr. Howard suggested the Planning Department is naive in its support of option A1 because apartments are now significantly smaller in size and the continued requirement of an open balcony would result in a small, unusable space.

cont'd....

Clause No. 2 (cont'd)

MOVED by Cllr. Kennedy,

THAT the City continue to permit a maximum of eight percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for balconies, but to permit no more than half of excluded floor area to be enclosed;

FURTHER THAT the requirement that thresholds be included in enclosed balconies be removed.

- CARRIED

(Councillors Chiavario, Kwan and Price opposed)

MOVED by Cllr. Kennedy,

THAT those District Schedules and CD-1 by-laws containing an acoustic regulation be amended, to delete the acoustic requirement for on-site open space (i.e., balconies, terraces, patios, etc.), generally as outlined in Appendix A of the Policy Report dated June 6, 1995.

- CARRIED

(Councillor Sullivan opposed)

MOVED by Cllr. Kennedy,

THAT the Balcony Enclosure Guidelines and Policies, amended as noted in Appendix B of the Policy Report dated June 6, 1995, to reflect more practical utilization by residents, be approved.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Kennedy,

THAT Council advise the Planning Department that it supports "French Balconies" where appropriate and that language be incorporated in the balcony regulations and/or guidelines that would encourage their provision.

- CARRIED UNANIMOUSLY

Balcony Exclusions
Option A.2

BY-LAW NO. 7512

A By-law to amend By-law Nos.
6421, 6688, 6710, 6731, 6757, 6787, 6817, 7006,
7156, 7173, 7189, 7193, 7200, ~~7204~~, 7209, 7223,
7224, 7232, 7246, 7248, 7317, ~~7318~~, 7340, 7381,
7431 and 7461, being by-laws which amended the Zoning
and Development By-law by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled,
enacts as follows:

1. The following By-laws are each amended by deleting section 3.4
and by substituting the following new section 3.4:

"3.4 The Director of Planning may permit the following to be excluded in
the computation of floor space ratio:

(a) enclosed residential balconies, provided that the Director of
Planning first considers all applicable policies and guidelines
adopted by Council and approves the design of any balcony enclosure
subject to the following:

(i) the total area of all open and enclosed balcony or sundeck
exclusions does not exceed eight percent of the residential
floor area being provided; and

(ii) no more than fifty percent of the excluded balcony floor
area may be enclosed."

6688	7006	7337
6710	7173	7340
6731	7189	7381
6787	7223	7431
6817	7224	

2. By-law Nos. 6421, 7193 and 7209 are each amended in section 3.4 by
deleting clause (a) and by substituting the following new clause (a):

"(a) enclosed residential balconies, provided that the Director of
Planning first considers all applicable policies and guidelines
adopted by Council and approves the design of any balcony enclosure
subject to the following:

(i) the total area of all open and enclosed balcony or sundeck
exclusions does not exceed eight percent of the residential
floor area being provided; and

(h) Repair Shop - Class B;

(i) Accessory Uses customarily ancillary to the above uses.

3. Floor Area

3.1 The total floor area for the uses listed below must not exceed the figure opposite each use.

Motor Vehicle Repair Shop	348 m ²
Dwelling Uses	281 m ²
All other uses	168 m ²

For the purpose of computing floor area, the site is all parcels covered by this By-law, and is deemed to be 1 133.4 m², being the site size at time of application for rezoning, prior to any dedications.

3.2 The following will be included in the computation of floor area:

- (a) all floors of all buildings including accessory buildings, both above and below ground level, to be measured to the extreme outer limits of the building.

3.3 The following will be excluded in the computation of floor area:

- (a) open residential balconies or sundecks and any other appurtenances which, in the opinion of the Director of Planning, are similar to the foregoing, provided that the total area of all exclusions does not exceed eight percent of the residential floor area being provided;
- (b) patios and roof gardens for residential purposes only, provided that the Director of Planning first approves the design of sunroofs and walls;
- (c) where floors are used for off-street parking and loading, bicycle storage, heating and mechanical equipment or uses which in the opinion of the Director of Planning are similar to the foregoing, those floors or portions thereof so used which:
 - (i) are at or below the base surface, provided that the maximum exclusion for a parking space will not exceed 7.3 m in length; or
 - (ii) are above the base surface and where developed as off-street parking are located in an accessory building situated in the rear yard, provided that the maximum exclusion for a parking space will not exceed 7.3 m in length.

6. By-law No. 7461 is amended in section 6.4 of Schedule "B" by deleting clause (a) and by substituting the following new clause (a):

- "(a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure subject to the following:
 - (i) the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided; and
 - (ii) no more than fifty percent of the excluded balcony floor area may be enclosed."

7. By-law No. 6757 is amended in section 7.4 by deleting clause (a) and by substituting the following new clause (a):

- "(a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure subject to the following:
 - (i) the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided; and
 - (ii) no more than fifty percent of the excluded balcony floor area may be enclosed;"

8. By-law No. 7204 is amended in section 7.4 of Schedule "B" by deleting clause (a) and by substituting the following new clause (a):

- "(a) enclosed residential balconies, provided that the Director of Planning first considers all applicable policies and guidelines adopted by Council and approves the design of any balcony enclosure subject to the following:
 - (i) the total area of all open and enclosed balcony or sundeck exclusions does not exceed eight percent of the residential floor area being provided; and
 - (ii) no more than fifty percent of the excluded balcony floor area may be enclosed;"

9. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 11th day of
January, 1996.

"(signed) Jennifer Clarke"
Deputy Mayor

"(signed) Maria C. Kinsella"
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 11th day of January 1996, and numbered 7512.

CITY CLERK"

Acoustic Requirements

BY-LAW NO. 7515

A By-law to amend

By-law Nos. 3712, 4037, 4049, 4397, 4677, 5381, 5836, 5852, 6272, 6310, 6312, 6313, 6314, 6315, 6316, 6317, 6318, 6319, 6320, 6321, 6322, 6323, 6325, 6361, 6362, 6363, 6421, 6425, 6429, 6475, 6489, 6528, 6533, 6564, 6582, 6597, 6663, 6688, 6710, 6713, 6714, 6715, 6730, 6731, 6738, 6739, 6740, 6744, 6747, 6757, 6768, 6779, 6787, 6817, 6827, 6965, 7006, 7087, 7092, 7101, 7114, 7135, 7155, 7156, 7157, 7158, 7163, 7166, 7173, 7174, 7175, 7180, 7189, 7193, 7198, 7200, 7204, 7209, 7223, 7224, 7230, 7232, 7246, 7248, 7317, 7340, 7381, 7425, 7431, 7434 and 7461, being by-laws which amended the Zoning and Development By-law by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled, enacts as follows:

1. By-law Nos. 6429, 6597, 7092, 7101, 7224 and 7340 are each amended in section 5 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

2. The following By-laws are each amended in section 6 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column:

4037	6688	7087	7180
4397	6710	7155	7189
4677	6713	7157	7209
5852	6731	7163	7246
6272	6738	7166	7381
6363	6768	7173	7425
6421	6787	7174	7431
6582	6827	7175	7434
6663			

3. By-law No. 6730 is amended in section 6.1 by deleting the words "Terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

4. The following By-laws are each amended in section 7 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

5836	6321	6564	7114
6310	6322	6739	7135
6312	6323	6740	7158
6315	6325	6817	7223
6319	6528	6965	7230
6320			

5. By-law Nos. 6313, 6314, 6316, 6317, 6318 and 6361 are each amended in section 7.1 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
6. By-law Nos. 3712, 4049, 6362, 6425, 6489, 6714, 6715, 7193 and 7337 are each amended in section 8 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
7. By-law No. 6779 is amended in section 9 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
8. By-law No. 7198 is amended in section 10 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
9. By-law Nos. 7156, 7200, 7232 and 7248 are each amended in section 11 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
10. By-law No. 6744 is amended in section 12 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
11. By-law Nos. 6747 and 6757 are both amended in section 13 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
12. By-law No. 5381 is amended in section 4.8.1 by
 - (a) deleting clause (d), and
 - (b) relettering clauses (e) and (f) as (d) and (e), respectively.
13. By-law No. 6533 is amended in section 5.6.1 by deleting clause (d).
14. By-law No. 6475 is amended in section 5.8.1 by deleting clause (d).
15. By-law No. 7006 is amended in section 7 by deleting the words "common-use roof decks and patios" from the left column and the corresponding number "55" from the right column.

16. By-law No. 7317 is amended in section 9 by deleting the words "common-use roof decks and patios" from the left column and the corresponding number "55" from the right column.

17. By-law No. 7461 is amended in section 9 of Schedule "B" by deleting the words "common-use roof decks and patios" from the left column and the corresponding number "55" from the right column.

18. By-law No. 7204 is amended in section 12 of Schedule "B" by deleting the words "common-use roof decks and patios" from the left column and the corresponding number "55" from the right column.

19. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 11th day of
January , 1996.

"(signed) Jennifer Clarke"
Deputy Mayor

"(signed) Maria C. Kinsella"
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 11th day of January 1996, and numbered 7515.

CITY CLERK"

Clause 1(a) and (b) (cont'd)

This development is also in keeping with Council's strategy of reducing traffic congestion by encouraging residential development in this area and reducing commuters. The application also provides for a substantial amount of bicycle parking within the new residential complex.

Staff Closing Comments

Staff offered no additional comments.

Council Decision

Prior to making a decision, several members of Council expressed the view that staff need to reconsider their approach when notifying residents about rezoning applications, as well as other City-related issues. Members of Council also referred to a previously requested report on waterfront tower height and Council expressed a desire to see this report as soon as possible.

MOVED by Cllr. Bellamy,

THAT this application be approved, subject to the conditions as set out in this minute of the Public Hearing.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Price,

THAT the City Manager ensure that when the anticipated report from the Housing Centre on housing affordability comes back, it deals with the issues related to Triangle West and new neighbourhoods.

- CARRIED UNANIMOUSLY

2. Balcony Enclosures and Acoustic Requirements

An application by the Director of Land Use and Development was considered as follows:

The proposed amendments to various zoning District Schedules, Official Development Plans and CD-1 Comprehensive Development District By-laws, would either:

- not allow any of the permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies except in buildings existing prior to April 23, 1985 in which case the present regulations would apply; or

cont'd....

Clause No. 2 (cont'd)

- continue to permit a maximum of 8 percent of permitted residential floor area to be excluded form Floor Space Ratio (FSR) for balconies BUT to permit no more than half of excluded floor area to be enclosed; or
- permit no more than 8 percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies.

The proposed acoustic amendments would delete the acoustic requirement for balconies, terraces, patios, etc.

Amended Balcony Enclosure Guidelines and Policies are also proposed.

The Director of Land Use and Development recommended approval of this application.

Staff Opening Comments

Mr. Ralph Segal, Planner, provided background on this issue and introduced the options before Council this evening.

In 1964, in order to improve livability in higher density multiple dwelling developments, open balconies were excluded from FSR to a maximum of eight percent of residential floor area. In the early 1980s, the City received numerous requests from owners of units in existing buildings to enclose their balconies for reasons of poor insulation and acoustics, air drafts and other interior problems. In response, Council in 1985 adopted balcony enclosure guidelines by which enclosed balconies would continue to be excluded from FSR.

Subsequently, in response to the development industry's request for equity, Council permitted this exclusion to apply to new construction, subject to adherence to the guidelines. Since then, new buildings have, to an increasing degree, incorporated enclosed balconies as additional interior space displacing the private open space, the open balconies, for which the FSR exclusion had been originally provided.

Since enclosed balcony space has been successfully marketed at the full per square foot price of the rest of the dwelling unit, many developers have been more and more aggressive in seeking the full eight percent exclusion for enclosed balconies. This differs from a mix of open and enclosed balconies that were anticipated when the exclusion was first put in place.

cont'd....

Clause No. 2 (cont'd)

With the aid of photographs distributed to Council (on file in the City Clerk's Office), Mr. Segal explained that enclosure of most or all balconies bulks up buildings by filling in the volumes of open balconies and intends to create less residential, more office-like buildings. Exclusions from FSR are usually given to encourage developers to provide facilities that are considered important for livability but would likely not be provided without that incentive. In this case, bonuses are being permitted when they the negative affect of displacing the private open space for which the FSR exclusion was intended.

Recommendation A1 would eliminate the FSR exclusion for enclosed balconies except in the buildings existing prior to 1985, as per the original intent of the balcony enclosure provisions. Alternatively, should Council consider that enclosed balconies do have merit, A2 is offered which states that no more than half of the excluded balcony area may be enclosed. The third option, A3 is to simply allow outright the full eight percent exclusion to be enclosed.

This application also proposes an acoustic amendment. At present, acoustic requirements in many district schedules and CD-1 by-laws apply to standards in both rooms within the unit as well as exterior balconies and patios. As the current standard often requires balconies to be enclosed, even when this is not desired, the proposed amendment will delete this requirement. Mr. Segal also explained that amendments are proposed to the balcony enclosure guidelines which would delete provisions calling for easy conversion of enclosed balconies back to open balconies, as well as adding several additional clauses which will clarify the design intent in new construction.

Responding to a question from a member of Council, Mr. Segal advised of an error in the memorandum dated July 18, 1995 from the City Clerk, which referred this matter to Public Hearing. Recommendation A1 makes reference to excluding floor space ratio for enclosed balconies except in buildings existing prior to April 23, 1995. This should read April 23, 1985.

A member of Council enquired whether these guidelines would permit a style of balcony sometimes referred to a french balconies. Mr. Segal advised this style would not be permitted under the proposed guidelines.

Council members also enquired whether thresholds will still be required between the interior unit and the closed balconies. It was confirmed the proposed guidelines still contain this threshold requirement.

cont'd....

Clause No. 2 (cont'd)

Correspondence

All correspondence received prior to this matter being referred to Public Hearing was included as Appendix E in the Council report. One additional letter stressing the need for more open balconies in Vancouver and another favouring option A2, were also received.

Speakers

The Mayor called for speakers for and against the application, and the following addressed Council.

Mr. Hans Schmidt, representing the Society of Soundscape Preservation, expressed concern with the proposed deletion of acoustic requirements, on the grounds that if these requirements are deleted, the City is simply accommodating the noise which exists and not attempting to eliminate or reduce it. A greater emphasis should be directed towards elimination of the source of noise.

Mr. Dugal Purdie, on behalf of the Urban Development Institute (UDI), indicated his support for option A2 as it represents an appropriate compromise. The UDI is strongly opposed to A1 as this would affect proformas upon which construction was predicated upon. Mr. Purdie urged Council to support recommendation A2 with an amendment to exclude the applicability of the guidelines to enclosed space, as the Institute believes the total design of the building should be left with the architects and reviewed through the existing development permit process, without the addition of guidelines.

Mr. Stuart Howard, on behalf of the Architectural Institute of British Columbia (AIBC), lent his support to option A2, as it represents a compromise position. AIBC would ultimately prefer option 5 as stated in its May 30, 1995 brief to Council, but is willing to accept the compromise position. Mr. Howard suggested the Planning Department is naive in its support of option A1 because apartments are now significantly smaller in size and the continued requirement of an open balcony would result in a small, unusable space.

cont'd....

Clause No. 2 (cont'd)

MOVED by Cllr. Kennedy,

THAT the City continue to permit a maximum of eight percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for balconies, but to permit no more than half of excluded floor area to be enclosed;

FURTHER THAT the requirement that thresholds be included in enclosed balconies be removed.

- CARRIED

(Councillors Chiavario, Kwan and Price opposed)

MOVED by Cllr. Kennedy,

THAT those District Schedules and CD-1 by-laws containing an acoustic regulation be amended, to delete the acoustic requirement for on-site open space (i.e., balconies, terraces, patios, etc.), generally as outlined in Appendix A of the Policy Report dated June 6, 1995.

- CARRIED

(Councillor Sullivan opposed)

MOVED by Cllr. Kennedy,


THAT the Balcony Enclosure Guidelines and Policies, amended as noted in Appendix B of the Policy Report dated June 6, 1995, to reflect more practical utilization by residents, be approved.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Kennedy,

THAT Council advise the Planning Department that it supports "French Balconies" where appropriate and that language be incorporated in the balcony regulations and/or guidelines that would encourage their provision.

- CARRIED UNANIMOUSLY



CITY OF VANCOUVER

SPECIAL COUNCIL MEETING MINUTES

FEBRUARY 24, 2000

A Special Meeting of the Council of the City of Vancouver was held on Thursday, February 24, 2000, at 7:35 p.m., in Council Chambers, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law and Official Development Plans.

PRESENT: Mayor Philip Owen
 Councillor Fred Bass
 Councillor Jennifer Clarke
 Councillor Daniel Lee
 Councillor Don Lee
 Councillor Sandy McCormick
 Councillor Sam Sullivan

ABSENT: Councillor Lynne Kennedy
 Councillor Tim Louis
 Councillor Gordon Price (Sick Leave)
 Councillor George Puil (Civic Business)

CITY CLERK'S OFFICE: Tarja Tuominen, Meeting Coordinator

COMMITTEE OF THE WHOLE

MOVED by Cllr. Don Lee,
 SECONDED by Cllr. Daniel Lee,

THAT this Council resolve itself into Committee of the Whole, Mayor Owen in the Chair, to consider proposed amendments to the Zoning and Development By-law and Official Development Plans.

- CARRIED UNANIMOUSLY

1. Text Amendments: District Schedules, Official Development Plans and

CD-1 By-laws - Floor Space Exclusions

[Barrett Commission]

An application by the Director of Current Planning was considered as follows:

Summary: The proposed text amendments would provide floor space exclusions to provide construction incentives to control building envelope leaks.

The Director of Current Planning recommended approval.

Staff Comments

Jacqui Forbes-Roberts, General Manager of Community Services, provided a brief introduction to the report, noting the proposed text amendments would affect new construction and repairs and restoration of existing buildings. Ms. Forbes-Roberts also requested an amendment to the proposed draft by-law to amend By-law 3575 to add RS1 to Section 4.7.3, (d).

Doug Watts, Building Envelope Specialist, with the aid of a slide presentation, described the specifics of the technical and different design issues of the proposed amendments, and explained what steps other municipalities have taken to address the recommendations arising from the Barrett Commission.

Summary of Correspondence

Council was advised the following correspondence was received since the date the application was referred to Public Hearing:

one letter in support of 'Option A'.

Speakers

Mayor Owen called for speakers for and against the application.

The following spoke in support of 'Option A':

John Fowler, Canadian Precast/Prestressed Concrete Institute
Bill McEwen, Masonry Institute of British Columbia (brief filed)
Peter Reese

The foregoing speakers supported 'Option A' based on one or more of the following points:

application of the current FSR calculations has prevented a wide-spread use of precast concrete exterior walls; there have been very few problems with the use of pre-cast concrete, which has proven to be a versatile and durable material;

thicker exterior walls are better walls, because they can include an airspace cavity behind the cladding which provides a "rainscreen" system, more efficient insulation, thicker, more durable cladding materials; current FSR calculations discourage the foregoing;

the proposed changes in FSR definitions will immediately encourage better wall design;

brick and stone-faced walls should be encouraged.

The following generally supported 'Option A' but felt the proposed text amendments should be referred back to staff for further study and discussion with the industry:

John O'Donnell, AIBC
Stuart Howard, Vancouver Planning Coalition

The following is a summary of the foregoing speakers' comments:

Option 'A' is supported in principle; however the text amendments also should address overhangs, balconies, elevated walkways, yard setbacks, and site coverage; staff should accept the electronic calculation of areas and the calculations of the Architect, given under seal; letters of assurance from a building envelope specialist are redundant at an early stage; the proposed text amendments should cover everything instead of the City issuing administrative bulletins to address further changes.

Staff Closing Comments

Ralph Segal, Planner; Eric Fiss, Planner; and Doug Watts responded to the issues raised by the speakers: the proposed text amendments are the result of a fair bit of consultation with the industry; a building envelope specialist is required to be involved in the process earlier as technical details are to be submitted at the development permit stage; staff are taking a further look at other issues, such as recesses, balconies and walkways.

Ms. Forbes-Roberts advised Council may proceed with the proposed amendments to the floor space exclusions and request staff to come back with additional amendments. Staff and the industry would prefer the FSR exclusions not be delayed.

MOVED by Cllr. Don Lee,

A. THAT the application by the Director of Current Planning to amend various District Schedules, Official Development Plans and CD-1 By-laws to provide floor space exclusions to provide construction incentives to control building envelope leaks be approved.

FURTHER THAT the draft By-law 3575, section 4.7.3, be amended as follows:

(d) as clause (h) in the following district schedules:

RS-1 and RS-1S RT-4, etc.

(Italics denote amendment)

B. THAT staff report back on other aspects affecting leakage of buildings, such as overhangs, protection of upper balconies, recesses, etc.

- CARRIED UNANIMOUSLY

RISE FROM COMMITTEE OF THE WHOLE

MOVED by Cllr. Don Lee,

THAT the Committee of the Whole rise and report.

- CARRIED UNANIMOUSLY

ADOPT REPORT OF COMMITTEE OF THE WHOLE

MOVED by Cllr. Clarke,
SECONDED BY Cllr. Don Lee,

THAT the report of the Committee of the Whole be adopted, and the Director of Legal Services be instructed to prepare and bring forward the necessary by-law amendments.

- CARRIED UNANIMOUSLY

The Special Council adjourned at 9:20 p.m.

* * * * *



Comments or questions? You can send us [email](#).

[CITY HOMEPAGE](#)

[GET IN TOUCH](#)

[COMMUNITIES](#)

[SEARCH](#)

(c) 1998 City of Vancouver

EXPLANATION

**Zoning and Development
Various CD-1 by-laws**

Amendments re Exterior Wall Exclusion (Barrett Commission Recommendations)

Following a public hearing on February 24, 2000 Council approved an application, as noted above. There were no prior-to conditions and the Director of Current Planning has advised that the attached by-law can now be enacted to implement Council's resolution.

**Director of Legal Services
14 March 2000**

I:\BYLAWS\WPDOCS\PORTER\CD-1CONS.WPD

Exterior Wall Exclusion

BY-LAW NO. 8169

A By-law to amend
By-laws Nos.

3568 3632 3706 3712 3865 3869 3885 3897 3907 3914 3983 4037 4049 4085 4131
4238 4271 4358 4397 4412 4559 4580 4597 4634 4674 4677 4775 4825 4829 4860
4861 4900 4918 4926 4928 4930 4940 4954 4958 4999 5009 5011 5014 5028 5060
5091 5145 5179 5184 5222 5224 5229 5376 5343 5381 5383 5407 5411 5416 5418
5477 5510 5548 5555 5579 5597 5683 5702 5717 5762 5773 5810 5836 5838 5852
5863 5890 5927 5937 5950 5975 5976 5997 6009 6039 6041 6057 6063 6064 6070
6072 6117 6155 6161 6169 6180 6221 6245 6246 6254 6260 6263 6272 6277 6297
6305 6307 6310 6312 6313 6314 6315 6316 6317 6318 6319 6320 6321 6322 6323
6325 6361 6362 6363 6394 6420 6421 6423 6425 6427 6428 6429 6448 6449 6475
6486 6489 6528 6533 6538 6564 6577 6582 6594 6597 6654 6663 6676 6688 6710
6713 6714 6715 6718 6730 6731 6738 6739 6740 6744 6747 6757 6759 6760 6768
6779 6787 6817 6819 6827 6838 6876 6883 6884 6911 6919 6953 6962 6963 6965
7006 7045 7087 7091 7101 7114 7135 7155 7156 7157 7158 7159 7163 7164 7173
7174 7175 7189 7193 7196 7198 7200 7201 7204 7208 7209 7210 7223 7224 7230
7232 7235 7246 7248 7249 7317 7325 7337 7340 7371 7381 7389 7405 7419 7425
7431 7434 7435 7459 7461 7476 7516 7519 7522 7531 7551 7552 7556 7592 7601
7602 7638 7639 7645 7647 7648 7649 7651 7652 7654 7655 7656 7672 7673 7675
7677 7679 7681 7682 7684 7705 7715 7723 7820 7829 7834 7835 7852 7853 7879
7904 7927 7932 7948 7958 7971 7995 7996 8016 8034 8043 8055 8073 8082 8088
8097 8109 8111 8116 8130 8131

being By-laws which amended the
Zoning and Development By-law
by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting
assembled, enacts as follows:

1. By-law No. 3907 is amended in Section 2 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

2. By-law No. 4412 is amended in Section 2 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3. By-law No. 5376 is amended in Section 2 by deleting the period from the end of subclause (iii) and substituting it with a semi-colon and by adding the following subclause:

"(iv) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this subclause shall not apply to walls in existence prior to March 14, 2000."

4. By-laws No. 4825 and 6325 are each amended in Section 3 by deleting the period from the end of subclause (ii) and substituting it with a semi-colon and by adding the following subclause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this subclause shall not apply to walls in existence prior to March 14, 2000."

5. By-law No. 5343 is amended in Section 3 by deleting the period from the end of clause (iii) and substituting it with a semi-colon and by adding the following clause:

"(iv) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000"

6. By-laws No. 4775, 4829, 5222, 5224, 5773 and 6039 are each amended in Section 3 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the

Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

7. By-laws No. 4085, 5411, and 5416 are each amended in Section 3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

8. By-law No. 5407 is amended in Section 3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

9. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

3568 3712 3885 4271 4358 4634 4674 4861 4900 4918 4926 4928
4930 4940 4958 4999 5009 5011 5014 5028 5060 5145 5179 5184
5229 5418 5477 5836 5838 5863 5937 5950 5975 5976 4954 6041
6064 6072 6117 6155 6161 6180 6245 6246 6260 6263 6277 6297
6305 6307 6394 6420 6425 6427 6428 6429 6448 6449 6489 6538
6577 6594 6564 6654 6663 6759 6760 6779 6876 6911

10. By-laws No. 6314 and 6582 are each amended in Section 3.1 by deleting the period from the end of clause (ii) and substituting it with a semi-colon and by adding the following clause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

11. By-law No. 6272 is amended in Section 3.1 by deleting the word "and" from the end of subclause (c)(i), by deleting the period from the end of subclause (c)(ii) and substituting it with a semi-colon and by adding the following subclause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

12. By-law No. 4580 is amended in Section 3.2 by deleting the period at the end of the section and substituting it with a semi-colon, by relettering the existing text as clause (a) and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

13. By-law No. 6884 is amended in Section 3.1 by deleting the word "and" from the end of clause (a), by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

14. By-law No. 5683 is amended in Section 3.2 by deleting the period at the end of this section and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor

space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

15. By-law No. 8088 is amended in Section 3.2 by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

16. By-law No. 6009 is amended in Section 3.2 by deleting the period at the end of subclause (e)(vii) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

17. By-law No. 4677 is amended in Section 3.2 by deleting the period at the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

18. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.3 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

4238 4860 5579 5717 5810 5852 5890 6057 6070 6310 6312 6313
6316 6320 6361 6363 6423 6528 6714 6715

19. By-law No. 7684 is amended in Section 3.3 by deleting the period from the end of clause (a) and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

20. The By-laws listed below are each amended in Section 3.3 by deleting the and from clause (a) and by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

7705 7459 7435 7434 7419 7389 6718

21. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

5458 5548 5597 6962 7045 7682

22. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3897 3983 5510 7144 7208 7476 7516 7820 7927 7996

23. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

" (f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

5091 6486 6676 6688 6713 6730 6787 6817 7159 7337 7531 7552
7556 7645 7652 7715 7835 7971 8111

24. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

4391 4049 4397 4597 6421 6710 6731 6738 6739 6740 6768
6827 6838 6919 6953 6963 6965 7006 7091 7092 7101 7135
7155 7157 7158 7163 7166 7175 7189 7193 7196 7198 7210
7223 7224 7230 7325 7340 7381 7519 7551 7602 7638 7639
7647 7651 7655 7723 7932 7948 8082

25. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3869 7173 7522 7601 7656 7672 7834 7852 7853 7904 7958

26. By-laws No. 4559, 7209, 7425 and 7431 are each amended in Section 3.3 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

27. By-laws No. 5997 and 7829 are each amended in Section 3.3 by deleting the period from the end of clause (i) and substituting it with a semi-colon and by adding the following clause:

"(j) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

28. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.4 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

5762 5927 6315 6317 6318 6319 6321 6323 6362

29. By-law No. 7980 is amended

(a) in Section 3.4 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000.", and

(b) in Section 3.7 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

30. By-laws No. 7087 and 7174 are each amended in Section 3.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

31. By-law No. 7246 is amended in Section 3.4 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

32. By-laws No. 8034, 8043 and 8116 are each amended in Section 3.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

33. By-laws No. 6322 and 6597 are each amended in Section 3 by adding the following section:

"3.5 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

34. By-law No. 8016 is amended in Section 3.5 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

35. By-law No. 8055 is amended in Section 3.5 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

36. By-law No. 8130 is amended in Section 3.6 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

37. By-law No. 7648 is amended in Section 3.6 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

38. By-laws No. 6063 and 6221 are each amended in Section 3 by adding the following section:

"4.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

39. By-law No. 5555 is amended in Section 4 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

40. By-law No. 5705 is amended in Section 4 by adding the following section:

"4.3 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

41. By-law No. 7371 is amended in Section 4.3 by deleting the period from the end of clause (a) and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

42. By-law No. 7249 is amended in Section 4.3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

43. By-laws No. 5702 and 7673 are each amended in Section 4.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

44. By-laws No. 6819 and 7238 are each amended in Section 4.3 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

45. The By-laws listed below are each amended in Section 4.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3632 3706 4131 7649 7995 8073 8097

46. By-law No. 5381 is amended in Section 4.3.3 by adding after the existing text the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

47. By-law No. 7592 is amended in Section 4.4 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

48. By-law No. 6883 is amended in Section 4.4 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

49. By-laws No. 4037 and 7405 are each amended in Section 4.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum

exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

50. By-law No. 7201 is amended in Section 4.5 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

51. By-law No. 5383 is amended in Section 5 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

52. By-law No. 6533 is amended in Section 5.2.4 by deleting the period at the end of the existing text and substituting it with a semi-colon and by adding the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

53. By-law No. 7654 is amended in Section 5.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

54. By-law No. 7677 is amended in Section 5.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum

exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

55. By-laws No. 7675, 7681 and 8109 are each amended in Section 5.3 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

56. By-laws No. 3865 and 6475 are each amended in Section 5.3.3 by deleting the period from the end of the existing text and substituting it with a semi-colon and by adding the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

57. By-law No. 7879 is amended in Section 5.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

58. By-law No. 8131 is amended in Section 5.4 by deleting the period from the end of clause (j) and substituting it with a semi-colon and by adding the following clause:

"(k) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

59. By-law No. 6169 is amended in Section 6 by adding the following section:

"6.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the

Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

60. By-law No. 7679 is amended in Section 6.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

61. By-law No. 7317 is amended in Section 6.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

62. By-laws No. 7156, 7200, and 7232 are each amended in Section 6.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

63. By-law No. 7461 is amended in Section 6.3 of Schedule B by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

64. By-law No. 7248 is amended in Section 6.3 by deleting the period from the end of clause (i) and substituting it with a semi-colon and by adding the following clause:

"(j) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

65. By-law No. 6744 is amended in Section 6.3 by deleting the period from the end of clause (j) and substituting it with a semi-colon and by adding the following clause:

"(k) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

66. By-laws No. 6747 and 7204 are each amended in Section 7.3 of Schedule B, by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

67. By-law No. 6757 is amended in Section 7.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

68. By-law No. 6254 is amended in Section 8 by deleting the period from the end of the second clause (a), which clause ends with the word "computation", and substituting a semi-colon and by inserting the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000;"

69.

This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 14th day of March , 2000.

(Signed) Philip W. Owen
Mayor

(Signed) Ulli S. Watkiss
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 14th day of March 2000, and numbered 8169.

CITY CLERK"



CITY OF VANCOUVER

SPECIAL COUNCIL MEETING MINUTES

APRIL 10 AND 24, 2001

A Special Meeting of the Council of the City of Vancouver was held on Tuesday, April 10, 2001, at 7:30 p.m. in the Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Heritage, Sign, and Zoning and Development By-laws and the Coal Harbour Official Development Plan. Subsequently, the meeting was recessed, and reconvened in the Council Chamber at 7:30 p.m. on Tuesday, April 24, 2001. The Minutes have been consolidated for ease of reference.

PRESENT:	Mayor Philip Owen Councillor Fred Bass Councillor Jennifer Clarke *Councillor Lynne Kennedy *Councillor Daniel Lee *Councillor Don Lee Councillor Tim Louis Councillor Sandy McCormick Councillor Gordon Price Councillor George Puil Councillor Sam Sullivan
ABSENT	Councillor Lynne Kennedy (Sick Leave)
APRIL 24TH:	Councillor Daniel Lee (Leave of Absence) Councillor Don Lee (Civic Business)
CITY CLERK'S OFFICE:	Denise Salmon, Meeting Coordinator

*Denotes presence for portion of the meeting

COMMITTEE OF THE WHOLE

MOVED by Cllr. Don Lee,
SECONDED by Cllr. McCormick,

THAT this Council resolve itself into Committee of the Whole, Mayor Owen in the Chair, to consider proposed amendments to the Heritage, Sign, and Zoning and Development By-laws and the Coal Harbour Official Development Plan.

- CARRIED UNANIMOUSLY

1. Heritage Designation: 154-156 East 7th Avenue

An application by Rick Erickson was considered as follows:

Summary: Designation of the building at 154-156 East 7th Avenue as a protected heritage building.

The Director of Current Planning recommended approval.

Staff Comments

Gerry McGeough, Heritage Planner, advised this was the first time an owner has volunteered to add his building to the Register and designate it in order to qualify for Alternative Compliance Methods for Heritage Buildings, a provision of the Building By-law.

Applicant Comments

Rick Erickson, the applicant, and James Cheng, Architect, advised they had no comments to add and were available to answer questions.

Summary of Correspondence

There was no correspondence received on this application since the date it was referred to Public Hearing.

Speakers

Mayor Owen called for speakers for and against the application and none were present.

Council Decision

MOVED by Cllr. Don Lee,

A. THAT Council amend the Vancouver Heritage Register to add the Williams Block at 154 - 156 East 7th Avenue in the "B" category.

B. THAT Council approve the designation of the Williams Block at 154 -156 East 7th Avenue as a Protected Heritage Property.

C. THAT Council require a covenant to ensure the restoration of the exterior of the building is complete prior to the building being occupied.

- CARRIED UNANIMOUSLY

2. Text Amendment: 4066 Macdonald/2785 Alamein Avenue & 55-67 East Hastings Street

An application by the Director of Current Planning was considered as follows:

Summary: The proposed text amendment would amend the CD-1 By-laws for 4066 Macdonald Street/2785 Alamein Avenue and 55-67 East Hastings Street to clarify parking requirements and floor space exclusion provisions in two separate CD-1 by-laws.

The Director of Current Planning recommended approval.

Staff Comments

Phil Mondor, Rezoning Planner, was present to respond to questions.

Summary of Correspondence

There was no correspondence received on this application since the date it was referred to Public Hearing.

Speakers

Mayor Owen called for speakers for and against the application and none were present.

Council Decision

MOVED by Cllr. McCormick,

THAT the application by the Director of Current Planning to amend the CD-1 By-laws for 4066 Macdonald Street/2785 Alamein Avenue and 55-67 East Hastings Street to clarify parking requirements and floor space exclusion provisions in two separate CD-1 by-laws be approved.

- CARRIED UNANIMOUSLY

At this point in the meeting Council agreed to vary the agenda to deal with items 4 and 6 next, as neither had speakers, then items 3 and 5. The Minutes are recorded sequentially for clarity.

4. Sign By-law: 88 West Pender Street (International Village)

An application by Henderson Development (Canada) Ltd. was considered as follows:

Summary: The proposed amendment to the Sign By-law would alter the custom-tailored site-specific sign regulations which apply to 88 West Pender Street (International Village).

The Director of Current Planning recommended approval.

Staff Comments

Pat Johnson, Planner, was present to respond to questions, and with the aid of photo boards demonstrated the signs not in compliance with the current by-law.

Summary of Correspondence

There was no correspondence received on this application since the date it was referred to Public Hearing.

Speakers



CITY OF VANCOUVER
REGULAR COUNCIL MEETING MINUTES
May 15, 2001

A Regular Meeting of the Council of the City of Vancouver was held on Tuesday, May 15, 2001, at 2:00 p.m., in the Council Chamber, Third Floor, City Hall.

PRESENT:	Mayor Philip Owen Councillor Fred Bass Councillor Lynne Kennedy Councillor Don Lee Councillor Tim Louis Councillor Sandy McCormick Councillor Gordon Price Councillor George Puil *Councillor Sam Sullivan
ABSENT:	Councillor Jennifer Clarke (Leave of Absence) Councillor Daniel Lee (Leave of Absence)
CITY MANAGER'S OFFICE:	Francie Connell, Acting City Manager
CITY CLERK'S OFFICE:	Ulli S. Watkiss, City Clerk Tarja Tuominen, Meeting Coordinator

*Denotes presence for a portion of the meeting.

PRAYER

The proceedings in the Council Chamber were opened with a prayer read by the City Clerk.

"IN CAMERA" MEETING

MOVED by Councillor Louis
SECONDED by Councillor Don Lee

THAT Council will go into a meeting later this day which is closed to the public, pursuant to Section 165.2 of the *Vancouver Charter*, to discuss matters related to paragraphs:

MOVED by Councillor Sullivan

THAT the sixth report of the Community/Industry Advisory Committee for the Rezoning, Permitting and Inspection Process be received for information.

CARRIED UNANIMOUSLY

RISE FROM COMMITTEE OF THE WHOLE

MOVED by Councillor Don Lee

THAT the Committee of the Whole rise and report.

CARRIED UNANIMOUSLY

ADOPT REPORT OF COMMITTEE OF THE WHOLE

MOVED by Councillor Don Lee
SECONDED by Councillor Louis

THAT the report of the Committee of the Whole be adopted.

CARRIED UNANIMOUSLY

BY-LAWS

1. A By-law to amend By-law No. 7337 being a By-law which amended Zoning and Development By-law 3575 by rezoning an area to CD-1 (4066 Macdonald Street and 2785 Alamein Avenue) By-law No. 8337

MOVED by Councillor McCormick
SECONDED by Councillor Price

THAT the By-law be introduced and read a first time.

CARRIED UNANIMOUSLY

The By-law was read a first time and the Presiding Officer declared the by-law open for discussion and amendment.

There being no amendments, it was

MOVED by Councillor McCormick
SECONDED by Councillor Price

THAT the By-law be given second and third readings and the Mayor and City Clerk be authorized to sign and seal the By-law.

CARRIED UNANIMOUSLY

~~2. A By-law to amend By-law No. 8193 being a By-law which amended Zoning and Development by-law 3575 by rezoning an area to CD-1 (55-67 East Hastings Street) By-law No. 8338~~

4066 Macdonald Street &
2785 Alamein Avenue

BY-LAW NO. 8337

A By-law to amend By-law No. 7337
being a By-law which amended
Zoning and Development By-law 3575
by rezoning an area to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled,
enacts as follows:

1. Section 7 of By-law No. 7337 is amended by deleting “except that Motor Vehicle Repair Shop requires one space for each 15 m² up to 300 m² gross floor area and one space for each additional 30 m² gross floor area, to a maximum of 15 spaces”, and substituting the following:

“except that the Motor Vehicle Repair shop requires the greater of:

- (a) 15 spaces, and
- (b) one space for each 15 m² up to 300 m² gross floor area and one space for each additional 30 m² gross floor area,

to a maximum of 21 spaces.”

- 2. Sections 7 to 9 are re-numbered Sections 6 to 8.
- 3. This By-law comes into force and takes effect on the date of its passing.


DONE AND PASSED in open Council this 15th day of May, 2001.

(Signed) Philip W. Owen
Mayor

(Signed) Ulli S. Watkiss
City Clerk

I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 15th day of May, 2001, and numbered 8337.

CITY CLERK

**CITY OF VANCOUVER****SPECIAL COUNCIL MEETING MINUTES****JANUARY 22, 2002**

A Special Meeting of the Council of the City of Vancouver was held on Tuesday, January 22, 2002, at 7:30 p.m., in the Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Heritage, Zoning and Development and Sign By-laws and to enter into a Heritage Revitalization Agreement.

PRESENT: Mayor Philip Owen

Councillor Don Lee
Councillor Fred Bass
Councillor Daniel Lee
Councillor Tim Louis
Councillor McCormick
Councillor George Puil
Councillor Sam Sullivan

ABSENT: Councillor Jennifer Clarke (Leave of Absence) Councillor Lynne Kennedy (Leave of Absence)

Councillor Gordon Price (Sick Leave)

CITY CLERK'S Denise Salmon, Meeting Coordinator
OFFICE:

COMMITTEE OF THE WHOLE

MOVED by Councillor Don Lee
SECONDED by Councillor McCormick

THAT this Council resolve itself into Committee of the Whole, Mayor Owen in the Chair, to consider proposed amendments to the Heritage, Zoning and Development and Sign By-laws and to enter into a Heritage Revitalization Agreement.

CARRIED UNANIMOUSLY

the building, and portions of the interiors of the main lobby, main double-height chamber or hall, and main staircase, as described in detail in the body of the report for the London Building at 626 West Pender Street as protected Heritage Property.

C. THAT Council authorize the Director of Legal Services to prepare the Heritage Revitalization Agreement By-law and Heritage By-law amendment in accordance with the previous Recommendations in this report.

~~CARRIED UNANIMOUSLY~~

2. Text Amendments: Miscellaneous

An application by the Director of Current Planning was considered as follows:

Summary: The text amendments would correct or clarify various sections of the Zoning and Development By-law, CD-1 By-laws, and the Sign By-law.

The Director of Current Planning recommended approval.

Staff Comments

Dave Thomsett, Senior Planner, was present to respond to questions from Council and provided a brief overview of the application.

Summary of Correspondence

Council was advised no correspondence was received on this application since the date it was referred to Public Hearing.

Speakers

The Mayor called for speakers for and against the application and none were present.

Council Decision

MOVED by Councillor Bass

THAT the application by the Director of Current Planning for amendments to correct or clarify various sections of the Zoning and Development By-law, CD-1 By-laws, and the Sign By-law, be approved.

CARRIED UNANIMOUSLY


~~3. Sign By-law Text Amendment: Canopy Signs~~

~~An application by the Director of Current Planning was considered as follows:~~

~~Summary: The proposed amendments would alter regulations with respect to canopy signs.~~

~~The Director of Current Planning recommended approval.~~

Staff Comments



CITY OF VANCOUVER

REGULAR COUNCIL MEETING MINUTES

FEBRUARY 5, 2002

A Regular Meeting of the Council of the City of Vancouver was held on Tuesday, February 5, 2002, at 2:00 p.m., in the Council Chamber, Third Floor, City Hall.

PRESENT: Deputy Mayor Sam Sullivan
 Councillor Fred Bass
 Councillor Jennifer Clarke
 Councillor Lynne Kennedy
 Councillor Daniel Lee
 Councillor Don Lee
 Councillor Tim Louis
 Councillor Sandy McCormick

*Councillor Gordon Price

ABSENT: Mayor Philip Owen (Leave of Absence)
 Councillor George Puil (Leave of Absence - Sick Leave)

CITY MANAGER'S OFFICE: Brent MacGregor, Deputy City Manager

CITY CLERK'S OFFICE: Syd Baxter, City Clerk
 Tarja Tuominen, Meeting Coordinator

*Denotes presence for a portion of the meeting.

PRAYER

The proceedings in the Council Chamber were opened with a prayer read by the City Clerk.

"IN CAMERA" MEETING

MOVED by Councillor Clarke
 SECONDED by Councillor Don Lee

THAT Council will go into a meeting later this day which is closed to the public, pursuant to Section 165.2 of the *Vancouver Charter*, to discuss matters related to paragraph:

be authorized to sign and seal the By-law.

CARRIED UNANIMOUSLY
(Councillor Price absent for the vote)

3. A By-law to amend By-law No. 7337 and By-law No. 7654 which amended Zoning and Development By-law No. 3575 by rezoning certain areas to CD-1 (By-law No. 8428)

MOVED by Councillor Bass
SECONDED by Councillor Louis

THAT the By-law be introduced and read a first time.

CARRIED UNANIMOUSLY

The By-law was read a first time and the Presiding Officer declared the by-law open for discussion and amendment.

There being no amendments, it was

MOVED by Councillor Bass
SECONDED by Councillor Louis

THAT the By-law be given second and third readings and the Presiding Officer and City Clerk be authorized to sign and seal the By-law.

CARRIED UNANIMOUSLY
(Councillor Clarke, Kennedy and Price excused from voting)

~~4. A By-law to amend Sign By-law No. 6510 (Miscellaneous Text Amendments) (By-law No. 8429)~~

~~MOVED by Councillor Bass
SECONDED by Councillor Louis~~

~~THAT the By-law be introduced and read a first time.~~

~~CARRIED UNANIMOUSLY~~

~~The By-law was read a first time and the Presiding Officer declared the by-law open for discussion and amendment.~~

~~There being no amendments, it was~~

~~MOVED by Councillor Bass
SECONDED by Councillor Louis~~

~~THAT the By-law be given second and third readings and the Presiding Officer and City Clerk be authorized to sign and seal the By-law.~~

~~CARRIED UNANIMOUSLY
(Councillor Clarke, Kennedy and Price excused from voting)~~

BY-LAW NO. 8428

**A By-law to amend By-law No. 7337 and By-law No. 7654
which amended Zoning and Development By-law No. 3575
by rezoning certain areas to CD-1**

THE COUNCIL OF THE CITY OF VANCOUVER, in public meeting, enacts as follows:

1. This By-law amends the indicated sections of By-law No. 7337 and By-law No. 7654.
2. From the Schedule A map footer to By-law No. 7337, delete the address "2875 Alamein", and substitute "2785 Alamein".
3. In section 7 of By-law No. 7654:
 - (a) in clause 7.1, add a period after "Parking By-law", and delete "as if the site is zoned RM-4"; and
 - (b) re-number clause 7.1 as clause 7.3, and add the following immediately before clause 7.3:

"7.2 For residential uses, off-street parking must be provided, developed, and maintained in accordance with the applicable provisions of the Parking By-law as if the site is zoned RM-4."
4. This By-law is to come into force and take effect on the date of its enactment.

ENACTED by Council this 5th day of February, 2002

(Signed) Philip W. Owen
Mayor

(Signed) Syd Baxter
City Clerk

I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 5th day of February, 2002, and numbered 8428.

CITY CLERK



CITY OF VANCOUVER
SPECIAL COUNCIL MEETING MINUTES
NOVEMBER 20, 2003

A Special Meeting of the Council of the City of Vancouver was held on Thursday, November 20, 2003, at 7:30 p.m., in the Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law, Official Development Plans, Sign By-law and to designate property as protected heritage property and to enter into a Heritage Revitalization Agreement.

PRESENT: Mayor Larry Campbell
Councillor David Cadman
Councillor Peter Ladner
Councillor Raymond Louie
Councillor Tim Louis
Councillor Anne Roberts
Councillor Tim Stevenson
*Councillor Sam Sullivan
Councillor Ellen Woodsworth

ABSENT: Councillor Fred Bass (Leave of Absence - Civic Business)
Councillor Jim Green (Civic Business)

CITY CLERK'S OFFICE: Laura Kazakoff, Meeting Coordinator

*Denotes absence for a portion of the meeting.

COMMITTEE OF THE WHOLE

MOVED by Councillor Louis
SECONDED by Councillor Cadman

THAT this Council resolve itself into Committee of the Whole, Mayor Campbell in the Chair, to consider proposed amendments to the Zoning and Development By-law, Official Development Plans, Sign By-law, to designate property as protected heritage property and to enter into a Heritage Revitalization Agreement.

CARRIED UNANIMOUSLY

1. Text Amendment: Zoning and Development By-law, CD-1s, and Official Development Plans

An application by the Director of Current Planning was considered as follows:

Summary: Housekeeping amendments to the Zoning and Development By-law, including CD-1s and Official Development Plans.

The Director of Current Planning recommended approval.

Staff Comments

Dave Thomsett, Senior Planner, Rezoning Centre, was present to respond to questions.

Summary of Correspondence

No correspondence was received since the date the application was referred to Public Hearing.

Speakers

The Mayor called for speakers for and against the application and none were present.

Council Decision

MOVED by Councillor Louis

THAT the application by the Director of Current Planning to amend the Zoning & Development By-law, CD-1 By-laws and Official Development Plans generally as set out in Appendices A & B of the Policy Report "Miscellaneous Text Amendments: Zoning and Development By-law, CD-1 By-laws, and Official Development Plans, Zoning and Development Fee By-law and Policies and Guidelines" dated September 23, 2003, be approved.

CARRIED UNANIMOUSLY
(Councillor Sullivan absent for the vote)

BY-LAWS

MOVED by Councillor Cadman
SECONDED by Councillor Louie

THAT Council, except for those members excused as noted in the agenda, enact the by-laws listed on the agenda for this meeting as numbers 1 to 11 inclusive, and authorize the Mayor and City Clerk to sign and seal the enacted by-laws.

CARRIED UNANIMOUSLY

1. A By-law to amend Zoning and Development By-law No. 3575 (re miscellaneous text amendments) (By-law No. 8758)
2. A By-law to amend By-law Nos. 6180, 6320, and 8587 which amended Zoning and Development By-law No. 3575 by rezoning certain areas to CD-1 (By-law No. 8759)
3. A By-law to amend miscellaneous CD-1 By-laws (re miscellaneous text and residential storage amendments) (By-law 8760)

(Councillors Bass, Green and Sullivan excused from voting)

4. A By-law to amend Zoning and Development By-law No. 3575 (re miscellaneous text and residential storage amendments) (By-law 8761)

(Councillors Bass, Green and Sullivan excused from voting)

5. A By-law to amend Downtown District Official Development Plan By-law No. 4912, Downtown-Eastside/Oppenheimer District Official Development Plan By-law No. 5532, and Southeast Granville Slopes Official Development Plan By-law No. 5752 (By-law 8762)

(Councillors Bass, Green and Sullivan excused from voting)

6. A By-law to amend Solid Waste and Recycling By-law No. 8417 to regulate certain 2004 utility fees and miscellaneous amendments (By-law 8763)

7. A By-law to amend Water Works By-law No. 4848 (2004 Fees and miscellaneous amendments) (By-law 8764)

8. A By-law to authorize the borrowing of certain sums of money from January 8, 2004 to January 7, 2005 pending the collection of real property taxes (By-law No. 8765)

9. A By-law to amend By-law No. 8093, being the Sewer and Watercourse By-law (Establishment of 2004 Sewer Use and Connection Rates) (By-law No. 8766)

10. A By-law to amend License By-law No. 4450 re 2004 marina operator fee increases

(By-law No. 8767)

11. A By-law to amend Impounding By-law No. 3519 (2004 Charges re Towing Service Contract) (By-law 8768)