

City of Vancouver Zoning and Development By-law

Community Services, 453 W. 12th Ave Vancouver, BC V5Y 1V4 **a** 604.873.7344 fax 873.7060 planning@city.vancouver.bc.ca

# CD-1 (240)

## 1201-1299 Boundary Road By-law No. 6489

(Being a By-law to Amend By-law 3575, being the Zoning and Development By-law)

Effective May 30, 1989

(Amended up to and including By-law No. 8169, dated March 14, 2000)

- 1 [Section 1 is not reprinted here. It contains a Standard clause amending Schedule D (Zoning District Plan) to reflect this rezoning to CD-1.]
- 2 The area shown included within the heavy black outline on Schedule "A" is rezoned to CD-1, and the only uses permitted within the said area, subject to such conditions as Council may by resolution prescribe, and the only uses for which development permits will be issued are:
  - (a) a maximum of 46 dwelling units per hectare (19 dwelling units per acre) in multiple dwellings; and
  - (b) accessory uses customarily ancillary to the above uses.

#### 3 Floor Space Ratio

The maximum floor space ratio, computed in accordance with the applicable provisions of the RT-5 and RT-5N Districts Schedule, shall not exceed 0.75.

**3.1** Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000. [8169; 00 03 14]

#### 4 Height

The maximum building height measured above the base surface shall be the lesser of 9.144 m (30 ft.) or two storeys.

#### 5 Setbacks

The minimum setback of a building from a property boundary shall be 6.096 m (20 ft.).

#### 6 Site Coverage

The maximum site coverage for all buildings shall be 40 percent of the site area measured in accordance with the RT-5 nd RT-5N Districts Schedule.

The maximum site coverage for any portion of the site used for uncovered parking, internal roads and associated vehicular manoeuvering aisles shall be 20 percent of the site area.

#### 7 Off-street Parking

Off-street parking shall be provided, developed and maintained in accordance with the applicable provisions of the Parking By-law, except that a minimum of one parking space per dwelling unit shall be provided.

#### 8 Acoustics

All development permit applications shall require evidence in the form of a report prepared by a person trained in acoustics and current techniques of noise measurement demonstrating that the noise levels in those portions of the dwelling units listed below shall not exceed the noise level set opposite such portions. For the purposes of this section the noise level is the A-weighted 24-hour equivalent (Leq) sound level and will be defined simply as noise level in decibels.


Portions of Dwelling Units	Noise Levels (Decibels)
bedrooms	35
living, dining, recreation rooms	40
kitchen, bathrooms, hallways	45

[7515; 96 01 11]

*Note:* Information included in square brackets [] identifies the by-law numbers and dates for the amendments to By-law No. 6489 or provides an explanatory note.

- 9
- [Section 9 is not reprinted here. It contains a standard clause including the Mayor and City Clerk's signatures to pass the by-law and to certify the by-law number and date of enactment.]

By-law No. 6489 being a By-law to amend By-law No. 3575, being the Zoning and Development By-law



### The property shown below (\_\_\_\_\_) outlined in black is rezoned from RS-1 and CD-1 to CD-1