



**City of Vancouver** *Zoning and Development By-law*  
Community Services, 453 W. 12th Ave Vancouver, BC V5Y 1V4 ☎ 604.873.7344 fax 873.7060  
[planning@city.vancouver.bc.ca](mailto:planning@city.vancouver.bc.ca)

## **CD-1 (309)**

*490 Commercial Drive*

*By-law No. 7198*

*(Being a By-law to Amend By-law 3575, being the Zoning and Development By-law)*

**Effective October 19, 1993**

*(Amended up to and including By-law No. 8760, dated December 9, 2003)*

**1** *[Section 1 is not reprinted here. It contains a standard clause amending Schedule D (Zoning District Plan) to reflect this rezoning to CD-1.]*

**2** **Uses**

The area shown included within the heavy black outline on Schedule “A” shall be more particularly described as CD-1(309), and the only uses permitted within the outlined area, subject to such conditions as Council may by resolution prescribe, and the only uses for which development permits will be issued are:

- (a) Dwelling Units eligible for government funding as of October 19, 1993;
- (b) Parking Garage; and
- (c) Accessory Uses customarily ancillary to the above uses.

**3** **Floor Space Ratio**

**3.1** The floor space ratio shall not exceed 0.75. For the purpose of computing floor space ratio, the site shall be all parcels covered by this By-law, and shall be deemed to be 2 916 m<sup>2</sup> , being the site size at time of application for rezoning, prior to any dedications.

**3.2** The following shall be included in the computation of floor space ratio:

- (a) all floors having a minimum ceiling height of 1.2 m, including earthen floor, both above and below ground level, to be measured to the extreme outer limits of the building; and
- (b) stairways, fire escapes, elevator shafts and other features which the Director of Planning considers similar, to be measured by their gross cross-sectional areas and included in the measurements for each floor at which they are located.

**3.3** The following shall be excluded in the computation of floor space ratio:

- (a) open residential balconies or sundecks, and any other appurtenances which, in the opinion of the Director of Planning, are similar to the foregoing;-
- (b) patios and roof gardens, provided that the Director of Planning first approves the design of sunroofs and walls;
- (c) where floors are used for off-street parking and loading, bicycle storage, heating and mechanical equipment, or uses which in the opinion of the Director of Planning are similar to the foregoing, those floors or portions thereof so used, which:
  - (i) are at or below the base surface, Provided that the maximum exclusion for a parking space shall not exceed 7.3 m in length; or
  - (ii) are above the base surface and where developed as offstreet parking are located in an accessory building situated in the rear yard, provided that the maximum exclusion for a parking space shall not exceed 7.3 m in length;
- (d) amenity areas, including day care facilities, recreation facilities, and meeting rooms, to a maximum total of 10 percent of the total building floor area;
- (e) areas of undeveloped floors located above the highest storey or half-storey, or adjacent to a storey or half-storey, with a ceiling height of less than 1.2 m, and to which there is no permanent means of access other than a hatch; and
- (f) all residential storage space above or below base surface, except that if the residential storage space above base surface exceeds 3.7 m<sup>2</sup> per dwelling unit, there will be no exclusion for any of the residential storage space above base surface for that unit; [8760; 03 12 09]
- (g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000. [8169; 00 03 14]

*Note: Information included in square brackets [ ] identifies the by-law numbers and dates for the amendments to By-law No. 7198 or provides an explanatory note.*

#### **4 Height**

The maximum height of a building shall be 10.7 m, but no portion of the building shall extend above an envelope formed by a vertical line measuring 7.3 m in height at the north property line and a plane formed by an angle of 30 degrees measured from the horizontal and having its vertex at the maximum building height permitted at the north property line.

#### **5 Front Yard**

A front yard with a minimum depth of 6.1 m shall be provided.

#### **6 Side Yards**

6.1 A side yard with a minimum width of 2.1 m shall be provided on each side of the principal building, but the minimum width shall be increased so that the outer walls of the building are contained within a 135 degree angle extended horizontally and measured inwardly from any and all points on the side property lines.

6.2 In the case of a corner site, the exterior side yard shall not be regulated by section 6.1 above but shall be 20 percent of the width of the site, except that it shall not be less than 3.0 m and need not be more than 6.0 m in width.

#### **7 Rear Yard**

7.1 A rear yard with a minimum depth of 10.7 m shall be provided, except that where the rear of the site abuts a lane this required minimum depth shall be decreased by the lane width between the rear property line and the ultimate centre line of the lane.

7.2 Where the principal building or any portion thereof abutting the rear yard is 9.1 m or less in width and is located 7.6 m or more from an adjoining site, it may extend up to 3.0 m into the required rear yard.

7.3 Where the principal building or any portion thereof abutting the rear yard is 15.3 m or less in width and is located 7.6 m or more from an adjoining site, and where the average distance from the building to the rear property line is 10.7 m, the building or that portion thereof may extend up to 3.0 m into the required rear yard.

#### **8 Site Coverage**

8.1 Site coverage for buildings shall be based on the projected area of the outside of the outermost walls of all buildings and includes carports, but excludes steps, eaves, balconies and sundecks.

8.2 The maximum site coverage for any portion of the site used as parking area shall be 30 percent.

8.3 In the case of a sloping site where a structure is located in or beneath a yard, the structure shall be excluded from the site coverage calculation provided that it does not, except for required earth cover, permitted fences and similar items, project above the average elevation of the portions of the streets, lanes or sites located adjacent to such structure, and does not, in any event, project more than 1.0 m above the actual elevation of adjoining streets, lanes and sites.

#### **9 Horizontal Angle of Daylight**

9.1 All habitable rooms in buildings containing 3 or more dwelling units shall have at least I window on in exterior wall which complies with the following:

- (a) the window shall be located so that a plane or planes extending from the window and formed by an angle of 50 degrees, or 2 angles with a sum of 70 degrees, shall be unobstructed over a distance of 24.0 m; and

- (b) the plane or planes shall be measured horizontally from the centre of the bottom plane of the window.

**9.2** For the purpose of section 9.1 the following shall be considered as obstructions:

- (a) the theoretically equivalent buildings located on any adjoining sites in any R District in a corresponding position by rotating the plot plan of the proposed building 180 degrees about a horizontal axis located on the property lines of the proposed site;
- (b) part of the same building including permitted projections;
- (c) accessory buildings located on the same site as the principal building.

**9.3** For the purpose of section 9.1, the following shall not be considered as habitable rooms:

- (a) bathrooms; and
- (b) kitchens, unless the floor area is greater than 10 percent of the total floor area of the dwelling unit, or 9.3 m whichever is the greater.

## **10 Acoustics**

All development permit applications shall require evidence in the form of a report and recommendations prepared by a person trained in acoustics and current techniques of noise measurement demonstrating that the noise levels in those portions of the dwelling units listed below shall not exceed the noise level set opposite such portions. For the purposes of this section the noise level is the A-weighted 24-hour equivalent (Leq) sound level and will be defined simply as noise level in decibels.

<b>Portions of Dwelling Units</b>	<b>Noise Level (Decibels)</b>
bedrooms	35
living, dining, recreation rooms	40
kitchen, bathrooms, hallways	45

[7515; 96 01 11]

## **11 Relaxation of Regulations**


The Development Permit Board or the Director of Planning, as the case may be, may relax any of the regulations of this By-law for a multiple dwelling having regard to all applicable policies and guidelines adopted by Council, and provided that:

- (a) all required parking spaces shall be provided underground or within the outermost walls of a building (but in no case with the floor of the parking area above the highest point of the finished grade around the building), except in the case of lots of 560 m<sup>2</sup> or less;
- (b) useable on-site open space shall be provided;
- (c) a minimum of 20 percent of total units within any building shall contain 2 or more bedrooms, except in the case of buildings designed specifically for use as senior citizens' housing or other similar use;
- (d) in no case shall the site coverage exceed 65 percent;
- (e) the maximum floor space ratio shall be 1.45.

**12** *[Section 12 is not reprinted here. It contains a standard clause including the Mayor and City Clerk's signatures to pass the by-law and to certify the by-law number and date of enactment.]*

**By-law No. 7198 being a By-law to amend By-law No. 3575, being the Zoning and Development By-law**

The property shown below (  ) outlined in black is rezoned from RM-4 & RM-4N to CD-1



POLICY REPORT  
DEVELOPMENT

Date: November 24, 1992  
Dept. File No. PAJ  
RZ 490 Commercial Dr.

TO: Vancouver City Council  
FROM: Director of Planning  
SUBJECT: Rezoning: 490 Commercial Drive

**RECOMMENDATION**

THAT Council refer to a Public Hearing the application by Morton Ramsey Associates to rezone 490 Commercial Drive (Lots 15 and B of Lot 5, Block D, D.L. 183, Plan 729) from RM-4 and RM-4N Multiple Dwelling District to CD-1 Comprehensive Development District, to permit development of a multi-family social housing project with parking for an off-site office use, together with plans received November 9, 1992 and the recommendation of the Director of Planning to approve the application, generally in accordance with draft by-law provisions contained in Appendix A and conditions of approval in Appendix B, including one condition for Council's consideration;

FURTHER THAT the Director of Legal Services be instructed to prepare the necessary by-law for consideration at the Hearing.

**CITY MANAGER'S COMMENTS**

The City Manager RECOMMENDS approval of the foregoing.

**COUNCIL POLICY**


Council policy for this site, as reflected in the RM-4 and RM-4N Districts Schedule of the Zoning and Development By-law, does not permit parking for any use located on another site.

**PURPOSE**

This report evaluates a rezoning application to include parking for an off-site office use in a proposed social housing project for the Vancouver Native Housing Society.

**BACKGROUND**

Site, Surrounding Zoning and Development Lot B, the former Lumberland site shown on the map, was rezoned from M-1 to RM-4N in July 1991 to permit development of a multiple dwelling. In February 1992, the City purchased Lot B for development of non-profit housing for urban native families. Council also approved purchase of adjacent Lot 15, zoned RM-4, for consolidation with the larger site. This purchase is currently being finalized.



Lot 15 is owned by the Longshoremen's and Warehousemen's Union which has an office on Hastings Street, across the lane from the site. The lot is used by the Union as surface parking (non-conforming), to satisfy most of the parking requirements for its Hastings Street office. The proposed multi-family development incorporates the Union parking within the building.

Rezoning of both Lots 15 and B to CD-1 is needed to incorporate the Union's parking. The existing surface parking is non-conforming since the RM-4 and RM-4N Districts Schedule does not permit a parking area used in conjunction with a principal use on an adjacent site.

The remainder of the block to the east, and sites across Pender Street to the south, are developed with multiple dwellings. The Hastings Street frontage, across the lane to the north, is M-1 zoned and developed with general business uses both east and west of Commercial Drive. Along the north side of Pender Street, to the west of Commercial Drive, are M-1 zoned sites developed with light industrial uses.

Proposed Development Thirty-one family and nine seniors' rental housing units are proposed in a building which takes the form of two side-by-side U-shapes, creating two south-facing landscaped courtyards. The development could be approved under the existing RM-4/RM-4N zoning were it not for the inclusion of the parking for the Union. Nine parking spaces are included for the Union within the building, but provided separately from the "Resident-Only" parking.

#### DISCUSSION

Use Lot 15 and the parking for the Union is being included in this development to avoid creation of a 13.4 m (44 ft.) locked-in lot between two multiple dwellings, and to allow extra units to be included in this social housing project. Although Planning staff support the inclusion of the existing non-conforming parking use in this development, Planning staff could not support a text amendment to the RM-4 and RM-4N Districts Schedule to include "non-accessory parking" throughout the RM-4 and RM-4N Districts. Consequently, rezoning to CD-1 was advised.

Density, Height and Form The development, in all respects except for the Union parking, is approvable under the existing RM-4 and RM-4N zoning. A development application was filed prior to submission of the rezoning application, and various design issues have been resolved as part of the development application review process. The outstanding, relatively minor, development application issues to be resolved are set in the conditions of approval contained in Appendix B.

Parking Parking is provided in accordance with Parking By-law standards for seniors' and low-income housing. Fourteen spaces are provided for the dwelling units, and 9 spaces are provided for the Union. These 9 spaces will be reserved for Union office use during business hours Monday to Friday; however 4 spaces will be available as visitor parking for the housing development outside of these hours. These 4 shared spaces complete the Parking By-law requirement of 18 spaces for the dwelling units. A condition of approval to guarantee the shared use of these parking stalls is included in Appendix B.

Comments of Other Departments The City Engineer has no objection to the rezoning provided conditions included in Appendix B are met. If this application was for market housing, the Engineering Department would also require construction of curb, gutter and pavement on Pender Street for the length of the site, estimated to cost \$25,000 - \$30,000. However, since this application is for social housing with limited funding, Council may wish to waive this condition. Curbs and gutters have not been installed elsewhere on this block of Pender Street. It is included for Council's consideration as Item (e) in Appendix B.

The Director of Housing and Properties supports development of the site as proposed. Vancouver Native Housing Society has assured funding from Canada Mortgage and Housing Corporation and the Urban Native Program.

Public Input A development application sign was posted on the site and 40 notification letters were mailed to surrounding property owners in October. One letter of support has been received. A rezoning sign has also been requested and is to be erected by November 20th.

#### ENVIRONMENTAL AND SOCIAL IMPLICATIONS

This rezoning, for the purpose of accommodating existing non-conforming off-site parking, neither contributes nor detracts from the objective of reducing atmospheric pollution. It does, however, allow additional family units to be incorporated in the development, and therefore is consistent with Council's Childrens' Policy.

#### APPLICANT'S COMMENTS

The applicant has been provided with a copy of this report and has provided the following comments:

"We concur with the Director of Planning's recommendation to Council to approve the rezoning application, and undertake to satisfy the conditions contained in Appendix B, as required to obtain Development Permit approval."

#### CONCLUSION

Staff recommend that the proposed rezoning of 490 Commercial Drive to CD-1 be referred to Public Hearing to allow development of the site in accordance with the provisions of the existing RM-4 and RM-4N zoning but including provision of off-site parking for the Longshoremen's Union. The draft by-law included in Appendix A incorporates uses and regulations of the RM-4 and RM-4N districts applicable to a multiple dwelling, but also permits the parking for the Union.

The conditions of approval included in Appendix B contain the outstanding design issues to be resolved as part of the development application approval, the City Engineer's conditions, and a resolution to require that the Council-adopted guidelines which now apply to the site will continue to apply when it is zoned CD-1. The City Engineer's condition to require curb, gutter and pavement on Pender Street is included for Council's consideration.

\* \* \* \* \*

DRAFT CD-1 BY-LAW OUTLINE  
490 COMMERCIAL DRIVE

Uses

Dwelling Units eligible for government  
funding as of [date of enactment]

Parking Garage

Accessory Uses customarily ancillary to the  
above uses

Regulations

As contained in RM-4 and RM-4N District  
Schedule for multiple dwellings, including  
the acoustic regulations applicable in RM-4N  
and the relaxations provided for multiple  
dwellings

Parking

As per the Parking By-law for the dwelling  
units

PROPOSED CONDITIONS OF APPROVAL  
490 COMMERCIAL DRIVE

- (a) That the proposed form of development be approved by Council in principle, generally as prepared by Morton Ramsey Associates and stamped "Received City Planning Department, November 9, 1992", provided that the Director of Planning may allow minor alterations to this form of development when approving the detailed scheme of development as outlined in (b) below.
- (b) That, prior to approval by Council of the form of development, the applicant shall obtain approval of a development application by the Director of Planning, who shall have particular regard to the following:
  - (i) design development to reduce the roof height between the central gables on East Pender Street;
  - (ii) design development to increase the prominence and identity of the main entrance on the East Pender facade;
  - (iii) design development to courtyards and landscape treatment to improve visual access from the street and provide direct access to units at grade;
  - (iv) recycling provisions to the satisfaction of the City Engineer.
- (c) That prior to enactment of the CD-1 By-law, the registered owner (i.e. the City) shall:
  - (i) consolidate the site;
  - (ii) make suitable arrangements, to the satisfaction of the City Engineer, for all electrical and telephone services to be undergrounded within and adjacent to the site from the closest existing, suitable service point; and
  - (iii) make arrangements to the satisfaction of the City Engineer and the Directors of Legal Services and Housing and Properties to guarantee the shared-use parking arrangement proposed in the application.

- (d) That the "Britannia/Woodland RM-4 and RM-4N Guidelines" adopted by Council continue to apply to this site when it is rezoned from RM-4 and RM-4N to CD-1.

The following condition is put forward for Council's  
CONSIDERATION:

- (e) That prior to enactment of the CD-1 By-law, the registered owner (i.e. the City) shall make suitable arrangements, to the satisfaction of the City Engineer, for the provision of curb and gutter and pavement on Pender Street for the length of the site.

CITY OF VANCOUVER



MEMORANDUM


From: CITY CLERK

Date: December 9, 1992

To: City Manager  
Director of Planning  
Associate Director Land Use & Development  
Director of Legal Services  
Public Hearing Clerk

Refer File: 5303-2

Subject: Rezoning: 490 Commercial Drive



I wish to advise that Vancouver City Council at its meeting on December 8, 1992, approved the recommendations of the City Manager as contained in a Policy Report dated November 24, 1992, regarding the above matter.

*M. Kinsella*

CITY CLERK SK

SK:ht

MOTIONS (CONT'D)

C. Marina Neighbourhood (300 Cardero Street)  
Guidelines for Land and Marine Development

MOVED by Cllr. Davies,  
SECONDED by Cllr. Rankin,

THAT the documents entitled "Marina Neighbourhood (300 Cardero Street) CD-1 Guidelines for Land Development" and "Marina Neighbourhood (300 Cardero Street) CD-1 Guidelines for Marina Development" be adopted by Council for use by applicants and staff for development applications in the Marina Neighbourhood.

- CARRIED UNANIMOUSLY

D. Comprehensive Development District  
Form of Development  
150 Pacific Boulevard (Canucks Arena)

MOVED by Cllr. Davies,  
SECONDED by Cllr. Rankin,

THAT the approved form of development for the CD-1 zoned site known as 150 Pacific Boulevard be approved generally as illustrated in DA 215539, prepared by Brisbin Brook Beynon, Architects, and stamped "received, Planning Department (Land Use and Development Division), September 14, 1993", and "Received, Planning Department (Land Use and Development Division), September 28, 1993", provided that the Director of Planning may approve design changes which would not adversely affect either the development character of this site or adjacent properties.

- CARRIED UNANIMOUSLY

E. Comprehensive Development District  
Form of Development  
(490 Commercial Drive)

MOVED by Cllr. Bellamy,  
SECONDED by Cllr. Chan,

THAT the approved form of development for the CD-1 zoned site known as 490 Commercial Drive be approved generally as illustrated in DA214716, prepared by Morton Ramsey Associates, and stamped "Received, Planning Department (Land Use and Development Division), May 26, 1993", provided that the Director of Planning may approve design changes which would not adversely affect either the development character and livability of this site or adjacent properties.

- CARRIED UNANIMOUSLY

BY-LAW NO. 7198

A By-law to amend  
By-law No. 3575, being the  
Zoning and Development By-law

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled, enacts as follows:

1. The "Zoning District Plan" annexed to By-law No. 3575 as Schedule "D" is hereby amended according to the plan marginally numbered Z-410(b) and attached to this By-law as Schedule "A", and in accordance with the explanatory legends, notations and references inscribed thereon, so that the boundaries and districts shown on the Zoning District Plan are varied, amended or substituted to the extent shown on Schedule "A" of this By-law, and Schedule "A" of this By-law is hereby incorporated as an integral part of Schedule "D" of By-law No. 3575.

2. Uses

The area shown included within the heavy black outline on Schedule "A" shall be more particularly described as CD-1(309), and the only uses permitted within the outlined area, subject to such conditions as Council may by resolution prescribe, and the only uses for which development permits will be issued are:

- (a) Dwelling Units eligible for government funding as of October 19, 1993;
- (b) Parking Garage; and
- (c) Accessory Uses customarily ancillary to the above uses.

3. Floor Space Ratio

3.1 The floor space ratio shall not exceed 0.75. For the purpose of computing floor space ratio, the site shall be all parcels covered by this By-law, and shall be deemed to be 2 916 m<sup>2</sup>, being the site size at time of application for rezoning, prior to any dedications.

3.2 The following shall be included in the computation of floor space ratio:

- (a) all floors having a minimum ceiling height of 1.2 m, including earthen floor, both above and below ground level, to be measured to the extreme outer limits of the building; and
- (b) stairways, fire escapes, elevator shafts and other features which the Director of Planning considers similar, to be measured by their gross cross-sectional areas and included in the measurements for each floor at which they are located.

**3.3** The following shall be excluded in the computation of floor space ratio:

- (a) open residential balconies or sundecks, and any other appurtenances which, in the opinion of the Director of Planning, are similar to the foregoing;
- (b) patios and roof gardens, provided that the Director of Planning first approves the design of sunroofs and walls;
- (c) where floors are used for off-street parking and loading, bicycle storage, heating and mechanical equipment, or uses which in the opinion of the Director of Planning are similar to the foregoing, those floors or portions thereof so used, which:
  - (i) are at or below the base surface, provided that the maximum exclusion for a parking space shall not exceed 7.3 m in length; or
  - (ii) are above the base surface and where developed as off-street parking are located in an accessory building situated in the rear yard, provided that the maximum exclusion for a parking space shall not exceed 7.3 m in length;
- (d) amenity areas, including day care facilities, recreation facilities, and meeting rooms, to a maximum total of 10 percent of the total building floor area;
- (e) areas of undeveloped floors located above the highest storey or half-storey, or adjacent to a storey or half-storey, with a ceiling height of less than 1.2 m, and to which there is no permanent means of access other than a hatch; and
- (f) residential storage space provided that where the space is provided at or above base surface, the maximum exclusion shall be 3.7 m<sup>2</sup> per dwelling unit.

#### 4. Height

The maximum height of a building shall be 10.7 m, but no portion of the building shall extend above an envelope formed by a vertical line measuring 7.3 m in height at the north property line and a plane formed by an angle of 30 degrees measured from the horizontal and having its vertex at the maximum building height permitted at the north property line.

#### 5. Front Yard

A front yard with a minimum depth of 6.1 m shall be provided.

#### 6. Side Yards

6.1 A side yard with a minimum width of 2.1 m shall be provided on each side of the principal building, but the minimum width shall be increased so that the outer walls of the building are contained within a 135 degree angle extended horizontally and measured inwardly from any and all points on the side property lines.

6.2 In the case of a corner site, the exterior side yard shall not be regulated by section 6.1 above but shall be 20 percent of the width of the site, except that it shall not be less than 3.0 m and need not be more than 6.0 m in width.

#### 7. Rear Yard

7.1 A rear yard with a minimum depth of 10.7 m shall be provided, except that where the rear of the site abuts a lane, this required minimum depth shall be decreased by the lane width between the rear property line and the ultimate centre line of the lane.

7.2 Where the principal building or any portion thereof abutting the rear yard is 9.1 m or less in width and is located 7.6 m or more from an adjoining site, it may extend up to 3.0 m into the required rear yard.

7.3 Where the principal building or any portion thereof abutting the rear yard is 15.3 m or less in width and is located 7.6 m or more from an adjoining site, and where the average distance from the building to the rear property line is 10.7 m, the building or that portion thereof may extend up to 3.0 m into the required rear yard.

#### 8. Site Coverage

8.1 Site coverage for buildings shall be based on the projected area of the outside of the outermost walls of all buildings and includes carports, but excludes steps, eaves, balconies and sun decks.

8.2 The maximum site coverage for any portion of the site used as parking area shall be 30 percent.

8.3 In the case of a sloping site where a structure is located in or beneath a yard, the structure shall be excluded from the site coverage calculation provided that it does not, except for required earth cover, permitted fences and similar items, project above the average elevation of the portions of the streets, lanes or sites located adjacent to such structure, and does not, in any event, project more than 1.0 m above the actual elevation of adjoining streets, lanes and sites.

## 9. Horizontal Angle of Daylight

9.1 All habitable rooms in buildings containing 3 or more dwelling units shall have at least 1 window on an exterior wall which complies with the following:

- (a) the window shall be located so that a plane or planes extending from the window and formed by an angle of 50 degrees, or 2 angles with a sum of 70 degrees, shall be unobstructed over a distance of 24.0 m; and
- (b) the plane or planes shall be measured horizontally from the centre of the bottom plane of the window.

9.2 For the purpose of section 9.1 the following shall be considered as obstructions:

- (a) the theoretically equivalent buildings located on any adjoining sites in any R District in a corresponding position by rotating the plot plan of the proposed building 180 degrees about a horizontal axis located on the property lines of the proposed site;
- (b) part of the same building including permitted projections;
- (c) accessory buildings located on the same site as the principal building.

9.3 For the purpose of section 9.1, the following shall not be considered as habitable rooms:

- (a) bathrooms; and
- (b) kitchens, unless the floor area is greater than 10 percent of the total floor area of the dwelling unit, or 9.3 m<sup>2</sup>, whichever is the greater.

## 10. Acoustics

All development permit applications shall require evidence in the form of a report and recommendations prepared by a person trained in acoustics and current techniques of noise measurement demonstrating that the noise levels in those portions of the dwelling units listed below

shall not exceed the noise level set opposite such portions. For the purposes of this section the noise level is the A-weighted 24-hour equivalent (Leq) sound level and will be defined simply as noise level in decibels.

<u>PORTIONS OF DWELLING UNITS</u>	<u>NOISE LEVELS (DECIBELS)</u>
bedrooms	35
living, dining, recreation rooms	40
kitchen, bathrooms, hallways	45
terraces, patios, balconies	60

11. Relaxation of Regulations

The Development Permit Board or the Director of Planning, as the case may be, may relax any of the regulations of this By-law for a multiple dwelling having regard to all applicable policies and guidelines adopted by Council, and provided that:

- (a) all required parking spaces shall be provided underground or within the outermost walls of a building (but in no case with the floor of the parking area above the highest point of the finished grade around the building), except in the case of lots of 560 m<sup>2</sup> or less;
- (b) useable on-site open space shall be provided;
- (c) a minimum of 20 percent of total units within any building shall contain 2 or more bedrooms, except in the case of buildings designed specifically for use as senior citizens' housing or other similar use;
- (d) in no case shall the site coverage exceed 65 percent;
- (e) the maximum floor space ratio shall be 1.45.

12. This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 19th day of  
October, 1993.















"signed" Gordon Campbell  
Mayor

"signed" Maria C. Kinsella  
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 19th day of October 1993, and numbered 7198.

CITY CLERK"

BY-LAW No. 7198 BEING A BY-LAW TO AMEND BY-LAW No. 3575  
BEING THE ZONING & DEVELOPMENT BY-LAW



HASTINGS ST.

PENDER ST.

FRANCES ST.

COMMERCIAL DR.

SALSBURY DR.

The property outlined in black ( ) is rezoned:  
From **RM-4&RM-4N** To **CD-1**

Z-410(b)

RZ 490 Commercial Drive

map: 1 of 1

City of Vancouver Planning Department

scale: 1:2000



Clause No. 2 continued

Mr. Bill Watson, Blood Alley Square, spoke in favour of the application and advised he has many friends on the streets who desperately need the services provided by Pastor Wall and Mission Possible.

Mr. Garth Ryan, 500 block Dunsmuir, advised he is a volunteer with Mission Possible and requested that the application be approved.

Mr. Terry Pitkeathley, 100 Block Cordova Street, advised he has received much assistance from Mission Possible and indicated his support for the amendment.

Mr. Bill Verrall, West Hastings Street, spoke in favour of the project. Mr. Verrall is no longer living on the street and is enrolled in college. He attributed his successes to the assistance of Mission Possible.

Mr. Robert Marcus, 100 Block Alexander Street, advised Pastor Wall and Mission Impossible will be in the downtown area for the long-term. He supported the project.

Ms. Karen O'Shannacery, 300 Block Alexander Street, spoke of her involvement with Lookout Emergency Aid Society. She clarified Lookout is targeting the needs of those with mental illnesses, while Mission Impossible is providing the same type of services, but directing them toward a different clientele. She requested the proposed amendment be approved.

MOVED by Cllr. Bellamy,  
THAT the application be approved.

- CARRIED UNANIMOUSLY

3. Rezoning: 490 Commercial Drive

An application by Morton Ramsey Associates was considered as follows:

Present Zoning:	RM-4 and RM-4N Multiple Dwelling District
Proposed Zoning:	CD-1 Comprehensive Development District

- (i) If approved, the rezoning would permit the inclusion of nine underground parking spaces for an off-site office use, within a social housing project containing 31 family and nine seniors' rental units.
- (ii) Any consequential amendments.

Clause No. 3 continued

The Director of Planning recommended approval, subject to the following conditions proposed for adoption by resolution of Council:

- (a) That the proposed form of development be approved by Council in principle, generally as prepared by Morton Ramsey Associates and stamped "Received City Planning Department, November 9, 1992", provided that the Director of Planning may allow minor alterations to this form of development when approving the detailed scheme of development as outlined in (b) below.
- (b) That, prior to approval by Council of the form of development, the applicant shall obtain approval of a development application by the Director of Planning, who shall have particular regard to the following:
  - (i) design development to reduce the roof height between the central gables on East Pender Street;
  - (ii) design development to increase the prominence and identity of the main entrance on the East Pender facade;
  - (iii) design development to courtyards and landscape treatment to improve visual access from the street and provide direct access to units at grade;
  - (iv) recycling provisions to the satisfaction of the City Engineer.
- (c) That prior to enactment of the CD-1 By-law, the registered owner (i.e. the City) shall:
  - (i) consolidate the site;
  - (ii) make suitable arrangements, to the satisfaction of the City Engineer, for all electrical and telephone services to be undergrounded within and adjacent to the site from the closest existing, suitable service point; and
  - (iii) make arrangements to the satisfaction of the City Engineer and the Directors of Legal Services and Housing and Properties to guarantee the shared-use parking arrangement proposed in the application.

Clause No. 3 continued

- (d) That the "Britannia/Woodland RM-4 and RM-4N Guidelines" adopted by Council continue to apply to this site when it is rezoned from RM-4 and RM-4N to CD-1.

The following condition was put forward for Council's CONSIDERATION:

- (e) That prior to enactment of the CD-1 By-law, the registered owner (i.e. the City) shall make suitable arrangements, to the satisfaction of the City Engineer, for the provision of curb and gutter and pavement on Pender Street for the length of the site.

SUMMARY OF PROPOSED CHANGES  
490 COMMERCIAL DRIVE

	Current Status	Proposed Amendments
Zone	RM-4 & RM-4N	CD-1
Use	Multiple Dwelling	Multiple Dwelling, Parking Garage
Max. FSR	1.45	1.45
Max. Height	10.7 m (35 ft.)	10.7 m (35 ft.)

There was no correspondence received on this matter. The Mayor called for speakers for or against the project, and the following speaker was heard:

Ms. Barbara Charlie, General Manager, Vancouver Native Housing Society, advised representatives from her Association were available to answer any questions.

MOVED by Cllr. Bellamy,

THAT the application be approved, subject to the conditions as set out in this minute of the public hearing, and including condition (e).

- CARRIED UNANIMOUSLY

Acoustic Requirements

BY-LAW NO. 7515

A By-law to amend  
By-law Nos. 3712, 4037, 4049, 4397, 4677, 5381,  
5836, 5852, 6272, 6310, 6312, 6313, 6314, 6315,  
6316, 6317, 6318, 6319, 6320, 6321, 6322, 6323,  
6325, 6361, 6362, 6363, 6421, 6425, 6429, 6475,  
6489, 6528, 6533, 6564, 6582, 6597, 6663, 6688,  
6710, 6713, 6714, 6715, 6730, 6731, 6738, 6739,  
6740, 6744, 6747, 6757, 6768, 6779, 6787, 6817,  
6827, 6965, 7006, 7087, 7092, 7101, 7114, 7135,  
7155, 7156, 7157, 7158, 7163, 7166, 7173, 7174,  
7175, 7180, 7189, 7193, [REDACTED], 7200, 7204, 7209,  
7223, 7224, 7230, 7232, 7246, 7248, 7317, 7337,  
7340, 7381, 7425, 7431, 7434 and 7461, being  
by-laws which amended the Zoning and Development  
By-law by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting assembled,  
enacts as follows:

1. By-law Nos. 6429, 6597, 7092, 7101, 7224 and 7340 are each amended in section 5 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

2. The following By-laws are each amended in section 6 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column:

4037	6688	7087	7180
4397	6710	7155	7189
4677	6713	7157	7209
5852	6731	7163	7246
6272	6738	7166	7381
6363	6768	7173	7425
6421	6787	7174	7431
6582	6827	7175	7434
6663			

3. By-law No. 6730 is amended in section 6.1 by deleting the words "Terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

4. The following By-laws are each amended in section 7 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.

5836	6321	6564	7114
6310	6322	6739	7135
6312	6323	6740	7158
6315	6325	6817	7223
6319	6528	6965	7230
6320			

5. By-law Nos. 6313, 6314, 6316, 6317, 6318 and 6361 are each amended in section 7.1 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
6. By-law Nos. 3712, 4049, 6362, 6425, 6489, 6714, 6715, 7193 and 7337 are each amended in section 8 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
7. By-law No. 6779 is amended in section 9 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
8. By-law No. 7198 is amended in section 10 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
9. By-law Nos. 7156, 7200, 7232 and 7248 are each amended in section 11 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
10. By-law No. 6744 is amended in section 12 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
11. By-law Nos. 6747 and 6757 are both amended in section 13 by deleting the words "terraces, patios, balconies" from the left column and the corresponding number "60" from the right column.
12. By-law No. 5381 is amended in section 4.8.1 by
  - (a) deleting clause (d), and
  - (b) relettering clauses (e) and (f) as (d) and (e), respectively.
13. By-law No. 6533 is amended in section 5.6.1 by deleting clause (d).
14. By-law No. 6475 is amended in section 5.8.1 by deleting clause (d).
15. By-law No. 7006 is amended in section 7 by deleting the words "common-use roof decks and patios" from the left column and the corresponding number "55" from the right column.



Clause 1(a) and (b) (cont'd)

This development is also in keeping with Council's strategy of reducing traffic congestion by encouraging residential development in this area and reducing commuters. The application also provides for a substantial amount of bicycle parking within the new residential complex.

Staff Closing Comments

Staff offered no additional comments.

Council Decision

Prior to making a decision, several members of Council expressed the view that staff need to reconsider their approach when notifying residents about rezoning applications, as well as other City-related issues. Members of Council also referred to a previously requested report on waterfront tower height and Council expressed a desire to see this report as soon as possible.

MOVED by Cllr. Bellamy,

THAT this application be approved, subject to the conditions as set out in this minute of the Public Hearing.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Price,

THAT the City Manager ensure that when the anticipated report from the Housing Centre on housing affordability comes back, it deals with the issues related to Triangle West and new neighbourhoods.

- CARRIED UNANIMOUSLY

2. Balcony Enclosures and Acoustic Requirements

An application by the Director of Land Use and Development was considered as follows:

The proposed amendments to various zoning District Schedules, Official Development Plans and CD-1 Comprehensive Development District By-laws, would either:

- not allow any of the permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies except in buildings existing prior to April 23, 1985 in which case the present regulations would apply; or

cont'd....

Clause No. 2 (cont'd)

- continue to permit a maximum of 8 percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for balconies BUT to permit no more than half of excluded floor area to be enclosed; or
- permit no more than 8 percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for enclosed balconies.

The proposed acoustic amendments would delete the acoustic requirement for balconies, terraces, patios, etc.

Amended Balcony Enclosure Guidelines and Policies are also proposed.

The Director of Land Use and Development recommended approval of this application.

Staff Opening Comments

Mr. Ralph Segal, Planner, provided background on this issue and introduced the options before Council this evening.

In 1964, in order to improve livability in higher density multiple dwelling developments, open balconies were excluded from FSR to a maximum of eight percent of residential floor area. In the early 1980s, the City received numerous requests from owners of units in existing buildings to enclose their balconies for reasons of poor insulation and acoustics, air drafts and other interior problems. In response, Council in 1985 adopted balcony enclosure guidelines by which enclosed balconies would continue to be excluded from FSR.

Subsequently, in response to the development industry's request for equity, Council permitted this exclusion to apply to new construction, subject to adherence to the guidelines. Since then, new buildings have, to an increasing degree, incorporated enclosed balconies as additional interior space displacing the private open space, the open balconies, for which the FSR exclusion had been originally provided.

Since enclosed balcony space has been successfully marketed at the full per square foot price of the rest of the dwelling unit, many developers have been more and more aggressive in seeking the full eight percent exclusion for enclosed balconies. This differs from a mix of open and enclosed balconies that were anticipated when the exclusion was first put in place.

cont'd....

Clause No. 2 (cont'd)

With the aid of photographs distributed to Council (on file in the City Clerk's Office), Mr. Segal explained that enclosure of most or all balconies bulks up buildings by filling in the volumes of open balconies and intends to create less residential, more office-like buildings. Exclusions from FSR are usually given to encourage developers to provide facilities that are considered important for livability but would likely not be provided without that incentive. In this case, bonuses are being permitted when they the negative affect of displacing the private open space for which the FSR exclusion was intended.

Recommendation A1 would eliminate the FSR exclusion for enclosed balconies except in the buildings existing prior to 1985, as per the original intent of the balcony enclosure provisions. Alternatively, should Council consider that enclosed balconies do have merit, A2 is offered which states that no more than half of the excluded balcony area may be enclosed. The third option, A3 is to simply allow outright the full eight percent exclusion to be enclosed.

This application also proposes an acoustic amendment. At present, acoustic requirements in many district schedules and CD-1 by-laws apply to standards in both rooms within the unit as well as exterior balconies and patios. As the current standard often requires balconies to be enclosed, even when this is not desired, the proposed amendment will delete this requirement. Mr. Segal also explained that amendments are proposed to the balcony enclosure guidelines which would delete provisions calling for easy conversion of enclosed balconies back to open balconies, as well as adding several additional clauses which will clarify the design intent in new construction.

Responding to a question from a member of Council, Mr. Segal advised of an error in the memorandum dated July 18, 1995 from the City Clerk, which referred this matter to Public Hearing. Recommendation A1 makes reference to excluding floor space ratio for enclosed balconies except in buildings existing prior to April 23, 1995. This should read April 23, 1985.

A member of Council enquired whether these guidelines would permit a style of balcony sometimes referred to a french balconies. Mr. Segal advised this style would not be permitted under the proposed guidelines.

Council members also enquired whether thresholds will still be required between the interior unit and the closed balconies. It was confirmed the proposed guidelines still contain this threshold requirement.

cont'd....

Clause No. 2 (cont'd)

Correspondence

All correspondence received prior to this matter being referred to Public Hearing was included as Appendix E in the Council report. One additional letter stressing the need for more open balconies in Vancouver and another favouring option A2, were also received.

Speakers

The Mayor called for speakers for and against the application, and the following addressed Council.

Mr. Hans Schmidt, representing the Society of Soundscape Preservation, expressed concern with the proposed deletion of acoustic requirements, on the grounds that if these requirements are deleted, the City is simply accommodating the noise which exists and not attempting to eliminate or reduce it. A greater emphasis should be directed towards elimination of the source of noise.

Mr. Dugal Purdie, on behalf of the Urban Development Institute (UDI), indicated his support for option A2 as it represents an appropriate compromise. The UDI is strongly opposed to A1 as this would affect proformas upon which construction was predicated upon. Mr. Purdie urged Council to support recommendation A2 with an amendment to exclude the applicability of the guidelines to enclosed space, as the Institute believes the total design of the building should be left with the architects and reviewed through the existing development permit process, without the addition of guidelines.

Mr. Stuart Howard, on behalf of the Architectural Institute of British Columbia (AIBC), lent his support to option A2, as it represents a compromise position. AIBC would ultimately prefer option 5 as stated in its May 30, 1995 brief to Council, but is willing to accept the compromise position. Mr. Howard suggested the Planning Department is naive in its support of option A1 because apartments are now significantly smaller in size and the continued requirement of an open balcony would result in a small, unusable space.

cont'd....

Clause No. 2 (cont'd)

MOVED by Cllr. Kennedy,

THAT the City continue to permit a maximum of eight percent of permitted residential floor area to be excluded from Floor Space Ratio (FSR) for balconies, but to permit no more than half of excluded floor area to be enclosed;

FURTHER THAT the requirement that thresholds be included in enclosed balconies be removed.

- CARRIED

(Councillors Chiavario, Kwan and Price opposed)

MOVED by Cllr. Kennedy,

THAT those District Schedules and CD-1 by-laws containing an acoustic regulation be amended, to delete the acoustic requirement for on-site open space (i.e., balconies, terraces, patios, etc.), generally as outlined in Appendix A of the Policy Report dated June 6, 1995.

- CARRIED

(Councillor Sullivan opposed)

MOVED by Cllr. Kennedy,


THAT the Balcony Enclosure Guidelines and Policies, amended as noted in Appendix B of the Policy Report dated June 6, 1995, to reflect more practical utilization by residents, be approved.

- CARRIED UNANIMOUSLY

MOVED by Cllr. Kennedy,

THAT Council advise the Planning Department that it supports "French Balconies" where appropriate and that language be incorporated in the balcony regulations and/or guidelines that would encourage their provision.

- CARRIED UNANIMOUSLY



**CITY OF VANCOUVER**

**SPECIAL COUNCIL MEETING MINUTES**

**FEBRUARY 24, 2000**

A Special Meeting of the Council of the City of Vancouver was held on Thursday, February 24, 2000, at 7:35 p.m., in Council Chambers, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law and Official Development Plans.

**PRESENT:** Mayor Philip Owen  
 Councillor Fred Bass  
 Councillor Jennifer Clarke  
 Councillor Daniel Lee  
 Councillor Don Lee  
 Councillor Sandy McCormick  
 Councillor Sam Sullivan

**ABSENT:** Councillor Lynne Kennedy  
 Councillor Tim Louis  
 Councillor Gordon Price (Sick Leave)  
 Councillor George Puil (Civic Business)

**CITY CLERK'S OFFICE:** Tarja Tuominen, Meeting Coordinator

**COMMITTEE OF THE WHOLE**

MOVED by Cllr. Don Lee,  
 SECONDED by Cllr. Daniel Lee,

THAT this Council resolve itself into Committee of the Whole, Mayor Owen in the Chair, to consider proposed amendments to the Zoning and Development By-law and Official Development Plans.

- CARRIED UNANIMOUSLY

**1. Text Amendments: District Schedules, Official Development Plans and**

**CD-1 By-laws - Floor Space Exclusions**

### [Barrett Commission]

An application by the Director of Current Planning was considered as follows:

Summary: The proposed text amendments would provide floor space exclusions to provide construction incentives to control building envelope leaks.

The Director of Current Planning recommended approval.

### Staff Comments

Jacqui Forbes-Roberts, General Manager of Community Services, provided a brief introduction to the report, noting the proposed text amendments would affect new construction and repairs and restoration of existing buildings. Ms. Forbes-Roberts also requested an amendment to the proposed draft by-law to amend By-law 3575 to add RS1 to Section 4.7.3, (d).

Doug Watts, Building Envelope Specialist, with the aid of a slide presentation, described the specifics of the technical and different design issues of the proposed amendments, and explained what steps other municipalities have taken to address the recommendations arising from the Barrett Commission.

### Summary of Correspondence

Council was advised the following correspondence was received since the date the application was referred to Public Hearing:

one letter in support of 'Option A'.

### Speakers

Mayor Owen called for speakers for and against the application.

The following spoke in support of 'Option A':

John Fowler, Canadian Precast/Prestressed Concrete Institute  
Bill McEwen, Masonry Institute of British Columbia (brief filed)  
Peter Reese

The foregoing speakers supported 'Option A' based on one or more of the following points:

application of the current FSR calculations has prevented a wide-spread use of precast concrete exterior walls; there have been very few problems with the use of pre-cast concrete, which has proven to be a versatile and durable material;

thicker exterior walls are better walls, because they can include an airspace cavity behind the cladding which provides a "rainscreen" system, more efficient insulation, thicker, more durable cladding materials; current FSR calculations discourage the foregoing;

the proposed changes in FSR definitions will immediately encourage better wall design;

brick and stone-faced walls should be encouraged.

The following generally supported 'Option A' but felt the proposed text amendments should be referred back to staff for further study and discussion with the industry:

John O'Donnell, AIBC  
Stuart Howard, Vancouver Planning Coalition

The following is a summary of the foregoing speakers' comments:

Option 'A' is supported in principle; however the text amendments also should address overhangs, balconies, elevated walkways, yard setbacks, and site coverage; staff should accept the electronic calculation of areas and the calculations of the Architect, given under seal; letters of assurance from a building envelope specialist are redundant at an early stage; the proposed text amendments should cover everything instead of the City issuing administrative bulletins to address further changes.

### **Staff Closing Comments**

Ralph Segal, Planner; Eric Fiss, Planner; and Doug Watts responded to the issues raised by the speakers: the proposed text amendments are the result of a fair bit of consultation with the industry; a building envelope specialist is required to be involved in the process earlier as technical details are to be submitted at the development permit stage; staff are taking a further look at other issues, such as recesses, balconies and walkways.

Ms. Forbes-Roberts advised Council may proceed with the proposed amendments to the floor space exclusions and request staff to come back with additional amendments. Staff and the industry would prefer the FSR exclusions not be delayed.

MOVED by Cllr. Don Lee,

A. THAT the application by the Director of Current Planning to amend various District Schedules, Official Development Plans and CD-1 By-laws to provide floor space exclusions to provide construction incentives to control building envelope leaks be approved.

FURTHER THAT the draft By-law 3575, section 4.7.3, be amended as follows:

(d) as clause (h) in the following district schedules:

*RS-1 and RS-1S RT-4, etc.*

*(Italics denote amendment)*

B. THAT staff report back on other aspects affecting leakage of buildings, such as overhangs, protection of upper balconies, recesses, etc.

- CARRIED UNANIMOUSLY

**RISE FROM COMMITTEE OF THE WHOLE**

MOVED by Cllr. Don Lee,

THAT the Committee of the Whole rise and report.

- CARRIED UNANIMOUSLY

**ADOPT REPORT OF COMMITTEE OF THE WHOLE**

MOVED by Cllr. Clarke,  
SECONDED BY Cllr. Don Lee,

THAT the report of the Committee of the Whole be adopted, and the Director of Legal Services be instructed to prepare and bring forward the necessary by-law amendments.

- CARRIED UNANIMOUSLY

The Special Council adjourned at 9:20 p.m.

\* \* \* \* \*



---

Comments or questions? You can send us [email](#).

[CITY HOMEPAGE](#)

[GET IN TOUCH](#)

[COMMUNITIES](#)

[SEARCH](#)

(c) 1998 City of Vancouver

**EXPLANATION**

**Zoning and Development  
Various CD-1 by-laws**

**Amendments re Exterior Wall Exclusion (Barrett Commission Recommendations)**

Following a public hearing on February 24, 2000 Council approved an application, as noted above. There were no prior-to conditions and the Director of Current Planning has advised that the attached by-law can now be enacted to implement Council's resolution.

**Director of Legal Services  
14 March 2000**

I:\BYLAWS\WPDOCS\PORTER\CD-1CONS.WPD

Exterior Wall Exclusion

BY-LAW NO. 8169

A By-law to amend  
By-laws Nos.

3568 3632 3706 3712 3865 3869 3885 3897 3907 3914 3983 4037 4049 4085 4131  
4238 4271 4358 4397 4412 4559 4580 4597 4634 4674 4677 4775 4825 4829 4860  
4861 4900 4918 4926 4928 4930 4940 4954 4958 4999 5009 5011 5014 5028 5060  
5091 5145 5179 5184 5222 5224 5229 5376 5343 5381 5383 5407 5411 5416 5418  
5477 5510 5548 5555 5579 5597 5683 5702 5717 5762 5773 5810 5836 5838 5852  
5863 5890 5927 5937 5950 5975 5976 5997 6009 6039 6041 6057 6063 6064 6070  
6072 6117 6155 6161 6169 6180 6221 6245 6246 6254 6260 6263 6272 6277 6297  
6305 6307 6310 6312 6313 6314 6315 6316 6317 6318 6319 6320 6321 6322 6323  
6325 6361 6362 6363 6394 6420 6421 6423 6425 6427 6428 6429 6448 6449 6475  
6486 6489 6528 6533 6538 6564 6577 6582 6594 6597 6654 6663 6676 6688 6710  
6713 6714 6715 6718 6730 6731 6738 6739 6740 6744 6747 6757 6759 6760 6768  
6779 6787 6817 6819 6827 6838 6876 6883 6884 6911 6919 6953 6962 6963 6965  
7006 7045 7087 7091 7101 7114 7135 7155 7156 7157 7158 7159 7163 7164 7173  
7174 7175 7189 7193 7196 7198 7200 7201 7204 7208 7209 7210 7223 7224 7230  
7232 7235 7246 7248 7249 7317 7325 7337 7340 7371 7381 7389 7405 7419 7425  
7431 7434 7435 7459 7461 7476 7516 7519 7522 7531 7551 7552 7556 7592 7601  
7602 7638 7639 7645 7647 7648 7649 7651 7652 7654 7655 7656 7672 7673 7675  
7677 7679 7681 7682 7684 7705 7715 7723 7820 7829 7834 7835 7852 7853 7879  
7904 7927 7932 7948 7958 7971 7995 7996 8016 8034 8043 8055 8073 8082 8088  
8097 8109 8111 8116 8130 8131

being By-laws which amended the  
Zoning and Development By-law  
by rezoning areas to CD-1

THE COUNCIL OF THE CITY OF VANCOUVER, in open meeting  
assembled, enacts as follows:

1. By-law No. 3907 is amended in Section 2 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

2. By-law No. 4412 is amended in Section 2 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3. By-law No. 5376 is amended in Section 2 by deleting the period from the end of subclause (iii) and substituting it with a semi-colon and by adding the following subclause:

"(iv) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this subclause shall not apply to walls in existence prior to March 14, 2000."

4. By-laws No. 4825 and 6325 are each amended in Section 3 by deleting the period from the end of subclause (ii) and substituting it with a semi-colon and by adding the following subclause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this subclause shall not apply to walls in existence prior to March 14, 2000."

5. By-law No. 5343 is amended in Section 3 by deleting the period from the end of clause (iii) and substituting it with a semi-colon and by adding the following clause:

"(iv) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000"

6. By-laws No. 4775, 4829, 5222, 5224, 5773 and 6039 are each amended in Section 3 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the

Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

7. By-laws No. 4085, 5411, and 5416 are each amended in Section 3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

8. By-law No. 5407 is amended in Section 3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

9. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

3568 3712 3885 4271 4358 4634 4674 4861 4900 4918 4926 4928  
4930 4940 4958 4999 5009 5011 5014 5028 5060 5145 5179 5184  
5229 5418 5477 5836 5838 5863 5937 5950 5975 5976 4954 6041  
6064 6072 6117 6155 6161 6180 6245 6246 6260 6263 6277 6297  
6305 6307 6394 6420 6425 6427 6428 6429 6448 6449 6489 6538  
6577 6594 6564 6654 6663 6759 6760 6779 6876 6911

10. By-laws No. 6314 and 6582 are each amended in Section 3.1 by deleting the period from the end of clause (ii) and substituting it with a semi-colon and by adding the following clause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

11. By-law No. 6272 is amended in Section 3.1 by deleting the word "and" from the end of subclause (c)(i), by deleting the period from the end of subclause (c)(ii) and substituting it with a semi-colon and by adding the following subclause:

"(iii) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

12. By-law No. 4580 is amended in Section 3.2 by deleting the period at the end of the section and substituting it with a semi-colon, by relettering the existing text as clause (a) and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

13. By-law No. 6884 is amended in Section 3.1 by deleting the word "and" from the end of clause (a), by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

14. By-law No. 5683 is amended in Section 3.2 by deleting the period at the end of this section and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor

space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

15. By-law No. 8088 is amended in Section 3.2 by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

16. By-law No. 6009 is amended in Section 3.2 by deleting the period at the end of subclause (e)(vii) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

17. By-law No. 4677 is amended in Section 3.2 by deleting the period at the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

18. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.3 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

4238 4860 5579 5717 5810 5852 5890 6057 6070 6310 6312 6313  
6316 6320 6361 6363 6423 6528 6714 6715

19. By-law No. 7684 is amended in Section 3.3 by deleting the period from the end of clause (a) and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

20. The By-laws listed below are each amended in Section 3.3 by deleting the and from clause (a) and by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

7705 7459 7435 7434 7419 7389 6718

21. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

5458 5548 5597 6962 7045 7682

22. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3897 3983 5510 7144 7208 7476 7516 7820 7927 7996

23. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

" (f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

5091 6486 6676 6688 6713 6730 6787 6817 7159 7337 7531 7552  
7556 7645 7652 7715 7835 7971 8111

24. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

4391 4049 4397 4597 6421 6710 6731 6738 6739 6740 6768  
6827 6838 6919 6953 6963 6965 7006 7091 7092 7101 7135  
7155 7157 7158 7163 7166 7175 7189 7193 7196 7198 7210  
7223 7224 7230 7325 7340 7381 7519 7551 7602 7638 7639  
7647 7651 7655 7723 7932 7948 8082

25. The By-laws listed below are each amended in Section 3.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3869 7173 7522 7601 7656 7672 7834 7852 7853 7904 7958

26. By-laws No. 4559, 7209, 7425 and 7431 are each amended in Section 3.3 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

27. By-laws No. 5997 and 7829 are each amended in Section 3.3 by deleting the period from the end of clause (i) and substituting it with a semi-colon and by adding the following clause:

"(j) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

28. The By-laws listed below are each amended in Section 3 by adding the following section:

"3.4 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

5762 5927 6315 6317 6318 6319 6321 6323 6362

29. By-law No. 7980 is amended

(a) in Section 3.4 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000.", and

(b) in Section 3.7 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

30. By-laws No. 7087 and 7174 are each amended in Section 3.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

31. By-law No. 7246 is amended in Section 3.4 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

32. By-laws No. 8034, 8043 and 8116 are each amended in Section 3.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

33. By-laws No. 6322 and 6597 are each amended in Section 3 by adding the following section:

"3.5 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

34. By-law No. 8016 is amended in Section 3.5 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

35. By-law No. 8055 is amended in Section 3.5 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

36. By-law No. 8130 is amended in Section 3.6 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

37. By-law No. 7648 is amended in Section 3.6 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

38. By-laws No. 6063 and 6221 are each amended in Section 3 by adding the following section:

"4.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

39. By-law No. 5555 is amended in Section 4 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this clause shall not apply to walls in existence prior to March 14, 2000."

40. By-law No. 5705 is amended in Section 4 by adding the following section:

"4.3 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

41. By-law No. 7371 is amended in Section 4.3 by deleting the period from the end of clause (a) and substituting it with a semi-colon and by adding the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

42. By-law No. 7249 is amended in Section 4.3 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

43. By-laws No. 5702 and 7673 are each amended in Section 4.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

44. By-laws No. 6819 and 7238 are each amended in Section 4.3 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

45. The By-laws listed below are each amended in Section 4.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

3632 3706 4131 7649 7995 8073 8097

46. By-law No. 5381 is amended in Section 4.3.3 by adding after the existing text the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

47. By-law No. 7592 is amended in Section 4.4 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

48. By-law No. 6883 is amended in Section 4.4 by deleting the period from the end of clause (e) and substituting it with a semi-colon and by adding the following clause:

"(f) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

49. By-laws No. 4037 and 7405 are each amended in Section 4.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum

exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

50. By-law No. 7201 is amended in Section 4.5 by deleting the period from the end of clause (c) and substituting it with a semi-colon and by adding the following clause:

"(d) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

51. By-law No. 5383 is amended in Section 5 by deleting the period from the end of clause (b) and substituting it with a semi-colon and by adding the following clause:

"(c) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

52. By-law No. 6533 is amended in Section 5.2.4 by deleting the period at the end of the existing text and substituting it with a semi-colon and by adding the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

53. By-law No. 7654 is amended in Section 5.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

54. By-law No. 7677 is amended in Section 5.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum

exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

55. By-laws No. 7675, 7681 and 8109 are each amended in Section 5.3 by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

56. By-laws No. 3865 and 6475 are each amended in Section 5.3.3 by deleting the period from the end of the existing text and substituting it with a semi-colon and by adding the following:

" - where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

57. By-law No. 7879 is amended in Section 5.4 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

58. By-law No. 8131 is amended in Section 5.4 by deleting the period from the end of clause (j) and substituting it with a semi-colon and by adding the following clause:

"(k) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

59. By-law No. 6169 is amended in Section 6 by adding the following section:

"6.1 Where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the

Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, shall be excluded in the computation of floor space ratio, except that this section shall not apply to walls in existence prior to March 14, 2000."

60. By-law No. 7679 is amended in Section 6.3 by deleting the period from the end of clause (d) and substituting it with a semi-colon and by adding the following clause:

"(e) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

61. By-law No. 7317 is amended in Section 6.3 by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

62. By-laws No. 7156, 7200, and 7232 are each amended in Section 6.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

63. By-law No. 7461 is amended in Section 6.3 of Schedule B by deleting the period from the end of clause (h) and substituting it with a semi-colon and by adding the following clause:

"(i) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

64. By-law No. 7248 is amended in Section 6.3 by deleting the period from the end of clause (i) and substituting it with a semi-colon and by adding the following clause:

"(j) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

65. By-law No. 6744 is amended in Section 6.3 by deleting the period from the end of clause (j) and substituting it with a semi-colon and by adding the following clause:

"(k) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

66. By-laws No. 6747 and 7204 are each amended in Section 7.3 of Schedule B, by deleting the period from the end of clause (f) and substituting it with a semi-colon and by adding the following clause:

"(g) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

67. By-law No. 6757 is amended in Section 7.3 by deleting the period from the end of clause (g) and substituting it with a semi-colon and by adding the following clause:

"(h) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000."

68. By-law No. 6254 is amended in Section 8 by deleting the period from the end of the second clause (a), which clause ends with the word "computation", and substituting a semi-colon and by inserting the following clause:

"(b) where exterior walls greater than 152 mm in thickness have been recommended by a Building Envelope Professional as defined in the Building By-law, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness, except that this clause shall not apply to walls in existence prior to March 14, 2000;"

69.

This By-law comes into force and takes effect on the date of its passing.

DONE AND PASSED in open Council this 14th day of March , 2000.

(Signed) Philip W. Owen  
Mayor

(Signed) Ulli S. Watkiss  
City Clerk

"I hereby certify that the foregoing is a correct copy of a By-law passed by the Council of the City of Vancouver on the 14th day of March 2000, and numbered 8169.

CITY CLERK"



**CITY OF VANCOUVER**  
**SPECIAL COUNCIL MEETING MINUTES**

**NOVEMBER 20, 2003**

A Special Meeting of the Council of the City of Vancouver was held on Thursday, November 20, 2003, at 7:30 p.m., in the Council Chamber, Third Floor, City Hall, for the purpose of holding a Public Hearing to consider proposed amendments to the Zoning and Development By-law, Official Development Plans, Sign By-law and to designate property as protected heritage property and to enter into a Heritage Revitalization Agreement.

**PRESENT:** Mayor Larry Campbell  
 Councillor David Cadman  
 Councillor Peter Ladner  
 Councillor Raymond Louie  
 Councillor Tim Louis  
 Councillor Anne Roberts  
 Councillor Tim Stevenson  
 \*Councillor Sam Sullivan  
 Councillor Ellen Woodsworth

**ABSENT:** Councillor Fred Bass (Leave of Absence - Civic Business)  
 Councillor Jim Green (Civic Business)

**CITY CLERK'S OFFICE:** Laura Kazakoff, Meeting Coordinator

\*Denotes absence for a portion of the meeting.

**COMMITTEE OF THE WHOLE**

MOVED by Councillor Louis  
 SECONDED by Councillor Cadman

THAT this Council resolve itself into Committee of the Whole, Mayor Campbell in the Chair, to consider proposed amendments to the Zoning and Development By-law, Official Development Plans, Sign By-law, to designate property as protected heritage property and to enter into a Heritage Revitalization Agreement.

**CARRIED UNANIMOUSLY**

**1. Text Amendment: Zoning and Development By-law, CD-1s, and Official Development Plans**

An application by the Director of Current Planning was considered as follows:

Summary: Housekeeping amendments to the Zoning and Development By-law, including CD-1s and Official Development Plans.

The Director of Current Planning recommended approval.

**Staff Comments**

Dave Thomsett, Senior Planner, Rezoning Centre, was present to respond to questions.

#### **Summary of Correspondence**

No correspondence was received since the date the application was referred to Public Hearing.

#### **Speakers**

The Mayor called for speakers for and against the application and none were present.

#### **Council Decision**

MOVED by Councillor Louis

THAT the application by the Director of Current Planning to amend the Zoning & Development By-law, CD-1 By-laws and Official Development Plans generally as set out in Appendices A & B of the Policy Report "Miscellaneous Text Amendments: Zoning and Development By-law, CD-1 By-laws, and Official Development Plans, Zoning and Development Fee By-law and Policies and Guidelines" dated September 23, 2003, be approved.

CARRIED UNANIMOUSLY  
(Councillor Sullivan absent for the vote)

**BY-LAWS**

MOVED by Councillor Cadman  
SECONDED by Councillor Louie

THAT Council, except for those members excused as noted in the agenda, enact the by-laws listed on the agenda for this meeting as numbers 1 to 11 inclusive, and authorize the Mayor and City Clerk to sign and seal the enacted by-laws.

CARRIED UNANIMOUSLY

1. A By-law to amend Zoning and Development By-law No. 3575 (re miscellaneous text amendments) (By-law No. 8758)
2. A By-law to amend By-law Nos. 6180, 6320, and 8587 which amended Zoning and Development By-law No. 3575 by rezoning certain areas to CD-1 (By-law No. 8759)
3. A By-law to amend miscellaneous CD-1 By-laws (re miscellaneous text and residential storage amendments) (By-law 8760)

(Councillors Bass, Green and Sullivan excused from voting)

4. A By-law to amend Zoning and Development By-law No. 3575 (re miscellaneous text and residential storage amendments) (By-law 8761)

(Councillors Bass, Green and Sullivan excused from voting)

5. A By-law to amend Downtown District Official Development Plan By-law No. 4912, Downtown-Eastside/Oppenheimer District Official Development Plan By-law No. 5532, and Southeast Granville Slopes Official Development Plan By-law No. 5752 (By-law 8762)

(Councillors Bass, Green and Sullivan excused from voting)

6. A By-law to amend Solid Waste and Recycling By-law No. 8417 to regulate certain 2004 utility fees and miscellaneous amendments (By-law 8763)

7. A By-law to amend Water Works By-law No. 4848 (2004 Fees and miscellaneous amendments) (By-law 8764)

8. A By-law to authorize the borrowing of certain sums of money from January 8, 2004 to January 7, 2005 pending the collection of real property taxes (By-law No. 8765)

9. A By-law to amend By-law No. 8093, being the Sewer and Watercourse By-law (Establishment of 2004 Sewer Use and Connection Rates) (By-law No. 8766)

10. A By-law to amend License By-law No. 4450 re 2004 marina operator fee increases

(By-law No. 8767)

11. A By-law to amend Impounding By-law No. 3519 (2004 Charges re Towing Service Contract) (By-law 8768)