



City of Vancouver *Zoning and Development By-law*

Community Services, 453 W. 12th Ave Vancouver, BC V5Y 1V4 ☎ 604.873.7344 fax 604.873.7060
planning@vancouver.ca

CD-1 (466)

5909-5989 Oak Street

By-law No. 9631

(Being a By-law to Amend By-law 3575, being the Zoning and Development By-law)

Effective April 15, 2008

1 *[Section 1 is not reprinted here. It contains a standard clause amending Schedule D (Zoning District Plan) to reflect this rezoning to CD-1.]*

2 Uses

2.1 The description of the area shown within the heavy black outline on Schedule A is CD-1 (466).

2.2 Subject to approval by Council of the form of development, to all conditions, guidelines and policies adopted by Council, and to the conditions set out in this By-law or in a development permit, the only uses permitted within CD-1 (466) and the only uses for which the Director of Planning or Development Permit Board will issue development permits are:

- (a) Dwelling Uses, limited to Multiple Dwelling; and
- (b) Accessory Uses customarily ancillary to any of the uses listed in this section 2.2.

3 Density

3.1 The number of dwelling units on the site must not exceed 31.

3.2 The floor space ratio for all permitted uses must not exceed 1.0.

3.3 Computation of floor space ratio must include:

- (a) all floors having a minimum ceiling height of 1.2 m, including earthen floor, above and below ground level, measured to the extreme outer limits of the building; and
- (b) stairways, fire escapes, elevator shafts, and other features which the Director of Planning considers similar, measured by their gross cross-sectional areas and included in the measurements for each floor at which they are located.

3.4 Computation of floor space ratio must exclude:

- (a) open residential balconies or sundecks and any other appurtenances which, in the opinion of the Director of Planning, are similar to the foregoing, except that the total area of all exclusions must not exceed 8% of the permitted residential floor area;
- (b) patios and roof gardens if the Director of Planning first approves the design of sunroofs and walls;
- (c) where floors are used for off-street parking and loading, the taking on or discharging of passengers, bicycle storage, heating and mechanical equipment, or uses which in the opinion of the Director of Planning are similar to the foregoing, those floors or portions thereof so used, which are:
 - (i) at or below base surface, or
 - (ii) above the base surface, and, if developed as off-street parking, located in an accessory building situate in the rear yard,
except that the exclusion for a parking space must not exceed 7.3 m in length;
- (d) amenity areas, including day care facilities, recreation facilities, and meeting rooms, except that the exclusion must not exceed, in aggregate, 10% of the permitted floor area;
- (e) areas of undeveloped floors located:
 - (i) above the highest storey or half-storey and to which there is no permanent means of access other than a hatch, or
 - (ii) adjacent to a storey or half-storey with a ceiling height of less than 1.2 m;
- (f) all residential storage space above or below base surface, except that if the residential storage spaces above base surface exceeds 3.7 m² for a dwelling unit there will be no exclusion for any of the residential storage space above base surface for that unit; and
- (g) where a Building Envelope Professional as defined in the Building By-law has recommended exterior walls greater than 152 mm in thickness, the area of the walls exceeding 152 mm, but to a maximum exclusion of 152 mm thickness.

- 4 Building height
The building height must not exceed 10.7 m measured from base surface.
- 5 Setbacks
The setbacks must be at least:
- (a) 2.43 m from each of the north and south side yard property lines;
 - (b) 1.15 m from the west rear yard property line for the first 12 m measured from West 43rd Avenue, and 3.65 m for the remainder of that property line; and
 - (c) 3.65 m from the east front yard property line.
- 6 Parking and bicycle spaces
Any development or use of the site requires the provision and maintenance, in accordance with the requirements of, and relaxations and exemptions in, the Parking By-law, of off-street parking spaces and bicycle spaces, all as defined under the Parking By-law, except that there must be at least one parking space for each dwelling unit.
- 7 Acoustics
All development permit applications require evidence in the form of a report and recommendations prepared by a person trained in acoustics and current techniques of noise measurement, demonstrating that the noise levels in those portions of the dwelling units listed below do not exceed the noise level set opposite such portions. For the purposes of this section, the noise level is the A-weighted 24-hour equivalent (Leq) sound level and is defined simply as noise level in decibels.
- | Portions of dwelling units | Noise levels (Decibels) |
|-----------------------------------|--------------------------------|
| bedrooms | 35 |
| living, dining, recreation rooms | 40 |
| kitchen, bathrooms, hallways | 45 |
- 8 Severability
A decision by a court that any part of this By-law is illegal, void, or unenforceable severs that part from this By-law, and is not to affect the balance of this By-law.
- 9 *[Section 9 is not reprinted here. It contains a standard clause including the Mayor and City Clerk's signature to pass the by-law and certify the by-law number and date of enactment.]*



Z-591 (b)

RZ - 5909-5989 Oak Street

map: 1 of 1

scale: NTS



City of Vancouver

date: Mar. 2007